

7.1.6D 7.1.6 D

2.1.5.5 4

Certificate of Registration

This is to Certify that
Environmental Management System of

SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL

KALITHEERTHALKUPPAM, MADAGADIPET,
PUDUCHERRY - 605107, INDIA

has been assessed and found to conform to the requirements of

ISO 14001:2015

for the following scope :

IMPARTING EDUCATION RESEARCH SERVICES IN (MBBS AND
MD/MS DEGREES), WASTE MANAGEMENT, WATER
CONSERVATION AND RECYCLING SYSTEM, GREEN
ENVIRONMENT, CAMPUS SUSTAINABILITY MAINTENANCE, AND
RELATED PROCESS AND RESOURCE MANAGEMENT

IAF CODE : 37

Certificate No	: 22IEKW99	
Initial Registration Date	: 20/09/2022	Issuance Date : 20/09/2022
Date of Expiry*	: 19/09/2025	
1st Surv. Due	: 20/08/2023	2nd Surv. Due : 20/08/2024

Director



AQC MIDDLE EAST LLC



ACCREDITED
Management Systems
Certification Body
MSCB-119

Dr. KAGNE. R.N
DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKUPPAM,
PUDUCHERRY-605107.




Head Office: Office No. 02, Ground Floor, Sharjah Media City, Sharjah, UAE. e-mail: info@aqcworld.com.

Key Location: A-60, Sector - 2, Noida, Uttar Pradesh, 201301, India.

*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (in case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawal).

ISO 14001:2015



Certificate of Registration

This is to Certify that
Energy Management System of

SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL

KALITHEERTHALKUPPAM, MADAGADIPET,
PUDUCHERRY - 605107, INDIA

has been assessed and found to conform to the requirements of

ISO 50001:2018

for the following scope :

IMPARTING EDUCATION SERVICES (MBBS AND MD/MS
DEGREES), POWER AND ENERGY OPTIMIZATION SYSTEM
PROCESS AND RESOURCE MANAGEMENT

Certificate No : 22IE nKJ96
Initial Registration Date: 20/09/2022 Issuance Date : 20/09/2022
Date of Expiry* : 19/09/2025
1st Surv. Due : 20/08/2023 2nd Surv. Due : 20/08/2024



Director



ACCREDITED
Management Systems
Certification Body
MSCB-119

Dr. KAGNE. R.N
DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKUPPAM,
PUDUCHERRY - 605107, INDIA



AQC MIDDLE EAST LLC

Head Office: Office No. 02, Ground Floor, Sharjah Media City, Sharjah, UAE. e-mail: info@aqcworld.com.

Key Location: A-60, Sector - 2, Noida, Uttar Pradesh, 201301, India.

*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (in case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn).

ISO 50001:2018



Work Order

Supplier Name & Address :
Sri Murugan Agency
No.68, Perumalpuram, Puliamchalai,,
VILLIANUR,PUDUCHERRY,
PUDUCHERRY - 605110 Ph.:9791478302

W.O. No. : WO1803002

W.O. Date : 01/03/2018

Rev W.O. No. :

W.O. Ref. No. : Your Request Letter Dated on: 18/12/2017.

P.O. Ref. No. :

Kind Attention : Mr. M. Egambaram

Sir,

Sub : SMVMCH - Disposal of Waste in the SMVMCH campus for the period from 01/03/2018 to 28/02/2019- Reg

We are pleased to place our order for the following items to the terms and conditions contained herein.

S.No.	Items Description	UOM	Qty	Rate	Total Amount
1	Disposal of Wastes like Foods, Paper Cups, Plastic bottles, Plastic papers, Plastic Bags, Plastic Cups, Paper Plate, Waste paper,Ect.	Nos	12.00	30,000.00	360,000.0
				Gross Amount (Rs.) :	360,000.0
				Discount Amount (Rs.) :	60,000.0
				Adl. Amount (Rs.) :	0.0
				CGST Amount (Rs.) :	0.0
				SGST / UGST Amount (Rs.) :	0.0
				IGST Amount (Rs.) :	0.0
				Net Amount (Rs.) :	300,000.0

* Decimal Value Rounded off for Two Digit
Rupees in Words : RUPEES THREE LAKHS ONLY

Terms and Conditions

1	Delivery Period	From 01/03/2018 to 28/02/2019
2	Payment	Every month after completion of work. Payment Cheque in the name of M.EGAMBARAM.
3	Name of Work	Disposal of all wastes except Bio medical waste on day by day.
4	Freight charges & Transport charges	Inclusive.
5	Tax	Inclusive of GST.
Note : 6	Unloading and Freight charges	Inclusive of Loading & Unloading Charges.
7	Other Details	Deapartment : Housekeeping.

TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHAL KUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

For Sri Manakula Vinayagar Medical College and Hospital

Administrative Officer

Chairman

I accept the above all terms and conditions.

Supplier's Signature

Copy to:

- General Store Linen.
- Related Departments.
- Purchase Department.

TRUE COPY ATTESTED

SEAN
SRI MANGALYA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTI HALKUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.



Sri Manakula Vinayagar Medical College and Hospital

Kalitheerthal Kuppam, Puducherry - 605 107. Ph.: 0413 - 2643000. Fax: 0413 - 2643014.

Work Order

Supplier Name & Address :

New Dawn Water Engineering
9 & 10/R-40-A-1, T.N.H.B COMPLEX, MOGAPPAIR EAST,
CHENNAI,
TAMILNADU - 37 Ph.:091-44-26245359

W.O. No. : WO1405002

W.O. Date : 05/05/2014

W.O. No. :

O. Ref. No. : Your quotation No. NDWE/MVMCH-STP/13-14/032B, dated 14.12.2013

O. Ref. No. : None

Attention : Mr. Suresh Kumar

Handwritten: AAO / A 4
28m

Work order for 1000 KLD STP works at SMVMCH campus

are pleased to place our order for the following items to the terms and conditions contained herein.

Items Description	UOM	Qty	Rate	Total Amount
<p>"Activated Carbon Filter MS Vessel of size 2200mm dia x 2000 mm Height with necessary frontal piping with valves, necessary media, etc., with internal painted with epoxy and external painted with zincromate primer.</p> <p>Make: New Dawn Dish Thickness: 10mm Shell Thickness: 8mm Operating pressure: 3.0 Kg/Sq.cm Valves: Multivalve system Frontal piping: 150 NB Valve make: Xtreme / Equivalent Valve type: Butterfly Media: Graded Pebbles, Sand & Activated carbon Iodine Value: 950 Bolt & Nuts: Galvanized Air Vent: 25 NB Sampling point: Provided Pressure Gauge: Waarie / Equivalent"</p>	Nos	1.00	558,000.00	558,000.00
<p>Air Agitation System Air agitation system for the collection tank with necessary blowers and associated piping from the blower to the tank. The necessary motor along with the base plate, suction filter, suction silencer, coupling, coupling guard, Safety relief valve, pressure gauge, pressure indicator, NRV, Pulley for the blower, motor, etc.,</p> <p>Blower Make: Kay/Equivalent No of blowers: 1W + 1S Capacity: 750 Cum/Hr Type: Twin Lobe Blower RPM: 1028 Motor Make: Bharat Bijlee/Kirloskar/Equivalent HP/RPM: 25.0 / 1440" Pressure : 0.4 KG/Sq.cm</p>	Set	1.00	690,000.00	690,000.00

TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHAL KUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

Items Description	UOM	Qty	Rate	Total Amount
Clarifier Clarifier mechanism of 10.5m dia and 2.5m height with accessories like reduction gear box, motor, drive head, etc. Make: New Dawn Drive head: Hitech Gear Box: Elecon Motor: Kirloskar/Equivalent HP / RPM: 2 / 2900 Revolution: 3 - 4 RPM Reduction: 70:1 Outlet: 6"	Nos	1.00	677,000.00	677,000.00
"Diffused Aeration System Diffused aeration system for the aeration tank with blowers, membranes and associated piping from the blower to the tank. The necessary motor along with the base plate, suction filter, suction silencer, coupling, coupling guard, safety relief valve, pressure gauge, pressure indicator, NRV, Pulley for the blower, motor, etc., Blower Make: Kay / Equivalent No. of Blowers: 1W + 1S Capacity: 1050 Cum/Hr Pressure: 0.6 Kg/Sq.cm Type: Twin Lobe Blower RPM: 1245 Motor Make: Bharat Bijlee / Kirloskar / Equivalent HP / RPM: 40.0 / 1440 Qty of Diffuser: 200 Type of Diffuser: Fine Bubble MOC of diffuser: EPDM FAB Media: 150 Cum(30% of the aeration tank capacity)"	Set	1.00	3,165,000.00	3,165,000.00
"Dis Infection System Disinfection system comprising of electronic dosing pump of capacity 0 - 12 LPH with 3.5 Kg/Sq.cm pressure with necessary dosing tank. Pump make: Anala / Sandur Tank: New Dawn Dosing Tank capacity: 100 Ltrs MOC of tank: LLDPE"	Nos	1.00	29,000.00	29,000.00
"Filter Feed Pump Filter feed pump of capacity 50.0 KLH @ 3.5 Kg/Sq.cm of noblock type of CI construction. HP / RPM: 10.0/2900 Suc x Del: 80 x 65 mm Make: Kirloskar / Equivalent" Qty - 1W + 1S (Note- 1W - 1 Working condition, 1S - 1 Spare)	Set	2.00	40,000.00	80,000.00
"Inter connecting piping The necessary interconnecting piping with in the sewage treatment plant shall be of MS & PVC MS Make: Jindal / Equivalent PVC Make: Supreme / Prince / Finolex"	Set	1.00	350,000.00	350,000.00

TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

Description	UOM	Qty	Rate	Total Amount
<p>Pressure Sand Filter Vessel of size 2200mm dia x 2300mm height with necessary frontal piping with valves, necessary media, etc., with internal painted with epoxy and external painted with Zincromate.</p> <p>Make: New Dawn Dish Thickness: 10mm Shell Thickness: 8mm Operating pressure: 3.0 Kg/Sq.cm Valves: Multivalve system Frontal piping: 150 NB Valve make: Xtreme / Equivalent Valve type: Butterfly Media: Graded Pebbles & Sand Bolt & Nuts: Galvanized Pressure Gauge: Waarie / Equivalent Air Vent: 25 NB Sampling Point: Provided"</p>	Nos	1.00	395,000.00	395,000.00
<p>"Sludge Pump Non - Clog self priming pump of capacity 36 Cum/Hr @ 15 Mtr head of CI construction with necessary base plate, Coupling, Coupling guard & TEFC Motor.</p> <p>Pump Make: Johnson / Equivalent Suc x Del: 65 x 65mm Type: Coupled HP / RPM: 5.0 / 2900 Motor Make: Kirloskar " Qty - 1W + 1S (Note- 1W - 1 Working condition, 1S - 1 Spare)</p>	Set	2.00	35,000.00	70,000.00
<p>"Transfer Pump Non-Clog self priming pump of capacity 57 Cum/Hr @ 15 Mtr head of CI construction with necessary base plate, coupling, Coupling guard & TEFC Motor.</p> <p>Pump make: Johnson / Equivalent Suc x Del: 80 x 80mm Type: Coupled HP / RPM: 7.5 / 2900 Motor Make: Bharat Bijlee / Kirloskar / Equivalent Qty - 1W + 1S (Note- 1W - 1 Working condition, 1S - 1 Spare)</p>	Set	2.00	43,000.00	86,000.00

TRUE COPY ATTESTED

DEAN
 SRI MANAKULLA VINAYAGAR
 MEDICAL COLLEGE & HOSPITAL
 KALITHEERTHALKUPPAM,
 MADAGADIPET, PUDUCHERRY-605 107.

Items Description	UOM	Qty	Rate	Total Amount
Normal Value Rounded off for Two Digit			Gross Amount (Rs.) :	6,100,000.00 ✓
pees in Words : RUPEES FIFTY-SIX LAKHS FORTY-TWO THOUSAND FIVE HUNDRED ONLY			Discount Amount (Rs.) :	457,500.00 ✓
			VAT Amount (Rs.) :	0.00
			Adl. Amount (Rs.) :	0.00
			Net Amount (Rs.) :	5,642,500.00 ✓

Terms and Conditions

- 1 Tax As applicable at the time of dispatch ✓
- 2 Packing and Insurance Inclusive ✓
- 3 Unloading and Freight charges Contractor scope ✓
- 4 Payment 40% Advance payment, 50% against inspection of material at your factory, balance 10% after erection and commissioning of the materials at site. ✓
- 5 Guarantee Your equipment is guaranteed for good performance and against defective materials and workmanship for a period of 18 months from the date of supply or 12 months from the date of commissioning which ever earlier. ✓
- 6 Other Details
 1. Details enclosed - Annexure - 1 ✓
 2. Any dispute will lie only with in the Jurisdiction of Pondicherry court. ✓
- Delivery Period The entire supply will be completed within 12 - 14 weeks subjected to site are given to us within one week time from the date of request and approval of our fabrication drawings. ✓
- 8 Discount 7.5% inclusive ✓

For Sri Manakula Vinayagar Medical College and Hospital

Administrative Officer

M. S. Srinivasan
27/8
Chairman
P. Srinivasan

Accept the above all terms and conditions.

Supplier's Signature

Copy to:
Civil Store.
Related Departments.
Purchase Department.

TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

VOLD STP 20HP Pump(B) Running Date 10/02/2018

TAX INVOICE



Ohm Modern Electricals



Authorised Service Centre for KIRLOSKAR BROTHERS LTD.,
(Re-winding of AC/DC Motors)

543, Kamaraj Salai, Sathya Nagar, Puducherry - 605 013.

GST No. : 34GBMPK8133B1ZQ

PAN : GBMPK8133B

Mobile : 9790019969 / 9629192422

E-Mail : ohmmodern.py@gmail.com

To: Sri Manakula Vinayagar Medical
College and Hospital
Puducherry - 107.

Invoice No. : 296
Date : 2.2.18
Yr. Gate Pass No. : 1891
Date : 12.12.2018
Yr. Work Order No. :
Date :

GST No. : 34AAATM9599A1ZE

Sl. No.	Description	SAC/HSN	Qty.	Rate	Tax %	Amount
	SP-3A					
1.	Pump service	9987	1	1600	18	1600.00
2.	shaft ghead	7412	1	1400	18	1400.00
3.	Bearing 6307mm	8482	2	480	18	960.00
4.	Bearing 6306mm	"	1	400	18	400.00
5.	Casing ghead	9987	1	900	18	900.00
6.	Endstand	8413	1	550	18	550.00
7.	Loose nut	7318	2	80	18	160.00
8.	Seal	4006	2	180	18	360.00
9.	Shaft maching work	9987	1	1000	18	1000.00
10.	Packing rope	4006	-	100	18	100.00

(Bill Amount in words Eight Thousand Seven hundred and seventy only.)	Total	7430.00
(Tax Amount in words One thousand three hundred and forty only.)	SGST	670.00
	IGST / CGST	670.00
	Grand Total	8770.00

Taxable Value	IGST		CGST		SGST		Total Tax Amount
	Rate	Amount	Rate	Amount	Rate	Amount	
7430	-	-	9	670	9	670	1340

Customer's Signature: Pump running in normal condition (from 05.2.18 to till date)

TRUE COPY ATTESTED For Ohm Modern Electricals

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

Authorised Signatory

TAX INVOICE

Ohm Modern Electricals

Authorised Service Centre for KIRLOSKAR BROTHERS LTD.,
(Re-winding of AC/DC Motors)

543, Kamaraj Salai, Sathya Nagar, Puducherry - 605 013.



ST No. : 34QBMPK8133B1ZQ

AN : GBMPK8133B

Mobile : 9790019969 / 9629192422

E-Mail : ohmmodern.py@gmail.com

To: Sri Manakula Vinayagar
Medical College & Hospital
Puducherry.

Invoice No. : 350
Date : 9.3.19
Yr. Gate Pass No. : 1892
Date : 23.1.19
Yr. Work Order No.: W01903001
Date : 1.3.19.

ST No. : 34AAATM9599A1ZE

Description	SAC/HSN	Qty.	Rate	Tax %	Amount
Johnson pump	8413	1	750	18	750.00
Power roller	8487	1	900	18	900.00
shaft maching work	7412	1	1100	18	1100.00
Bush	8482	1st	800	18	800.00
Beam 630mm	406	1	80	18	80.00
Pay Pipe	"	1	200	18	200.00
Crankshaft	8484	1	200	18	200.00
seal	7318	-	700	18	700.00
Stud, Bolt	8587	1	1750	18	1750.00
Pump repair & Sump					

Total amount in words: Seven thousand six hundred and eighty three only.
Tax amount in words: One thousand one hundred and eighty three only.

Total		6480.00
SGST	9	583.00
IGST / CGST	9	583.00
Grand Total		7646.00

Taxable value	IGST		CGST		SGST		Total Tax Amount
	Rate	Amount	Rate	Amount	Rate	Amount	
1480	-	-	9	583	9	583	1166

Customer's Signature

Ranganathan
(IP Supervisor)

Pump running normal condition.
From 05.03.19.

TRUE COPY ATTESTED BY Ohm Modern Electricals

DEAN
SRIMANAKULAVINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHAL KUPPAM,
MANGADIPET, PUDUCHERRY - 605 107.

Authorized Signatory

DELIVERY CHALLAN Cum BILL



Ohm Modern Electricals

Authorised Service Centre for KIRLOSKAR BROTHERS LTD.,
(Re-winding of AC/DC Motors)



543, Kamaraj Salai, Sathya Nagar, Puducherry - 605 013.
Cell: 97900 - 19969 e-mail: ohmmodern.py@gmail.com

Date 21/01/17

No. 310

M/s. MVMC & H

No.	Particulars	Qty.	Rate	Rs.	Ps.
1)	Repairing and servicing of SP4LA model including spares as mentioned in our quotation dated 01-01-17 and subsequent of your work order No: W01701009 Dt: 06/01/17 Your Crp No: 1880 /Dt: 15/11/16.	1-		15,000	1-

Rupees Fifteen thousand only Total 15,000/-

Received the above Items

TRUE COPY ATTESTED Ohm Modern Electricals

A. Das
Authorised Signatory

DEAN
SRI MANAKUL VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHAL KUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

TAX INVOICE

New Dawn Water Engineering,
 No. 10 / R-40-A-1, T.N.H.B Complex,
 Mugappair East, Chennai - 600 037.
 Phone: 044-26245359
 E-Mail: kesh@newdawnindia.in
 GST: 33AFJPS1357J2Z7

Invoice No. GST/18-19/192	Dated 01.08.2018
Delivery Note No.	Dated
Supplier's Ref.	Terms of Payment Immediate
Buyer's Order No. WO1806006	Dated 05.06.2018
Despatch Document No.	Dated
Despatched through	Destination
Terms of Delivery	

Buyer
Sri Manakula Vinayagar Medical College And
 Hospital,
 Kalitheerthai Kuppam,
 Puducherry - 605 107.

*19/08/18
04/15/18*

SI No.	Description of Goods	HSN/SAC	Quantity	Rate	Per	Amount
1	Service Charges (Replacing Of Oil Seal Including Service Charges For Aeration Tank Blower (89AC)	998717	2	8,500	Set	17,000.00
2	Service Charges (Replacing Of Oil Seal Including Service Charges For Collection Tank Blower (615AC)	998717	2	7,750	Set	15,500.00
	Discount Amount					32,500.00
	IGST @ 9%					2,500.00
						5,400.00
	Total					35,400.00

Amount Chargeable (in words) E & O E
 INR Thirty Five Thousand Four Hundred only


HSN/SAC	Taxable Value	IGST	
		Rate	Amount
998717	30000	18%	5400.00
TOTAL	30000		5400.00

Tax Amount (in words): INR Five Thousand Four Hundred Only.
 Company's PAN : AFJPS1357J

Declaration:
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.


TRUE COPY ATTESTED for New Dawn Water Engineering,

DEAN
 SRI MANAKULA VINAYAGAR
 MEDICAL COLLEGE & HOSPITAL
 KALITHEERTHAI KUPPAM,
 MUGAPPAPPAI EAST, PUDUCHERRY - 605 107



Work completed and bill verified for condition

TAX INVOICE

New Dawn Water Engineering No.9 & 10 / R-40-A-1, T.N.H.B, Complex, Mogappair East, Chennai - 600 037. Phone: 044-26245359 E-Mail : kesh@newdawnindia.in	Invoice No. SAL/04/17-18 Delivery Note 05 Supplier's Ref.	Dated 10-Apr-2017 Mode/Terms of Payment Immediate Other Reference(s)	
Buyer Sri Manakkula Vinayagar Medical Collage & Hospital Kalitheerthal Kuppam Puduchery - 605107	Buyer's Order No. PO1701489 Despatch Document No. Despatched through TN02R5712 Terms of Delivery	Dated 28-Jan-2017 Dated 10-Apr-2017 Destination	

SI No.	Description of Goods	Quantity	Rate	per	Amount
1	Media for Activated Carbon Filter	1 lot	98,000.00	lot	98,000.00
2	Media for Pressure Sand Filter	1 lot	72,000.00	lot	72,000.00
	<i>(As Per Delivery Challan)</i>				1,70,000.00
	CST @14.5%		14.50 %		24,650.00
	Total	2 lot			₹ 1,94,650.00

Amount Chargeable (in words)

INR One Lakh Ninety Four Thousand Six Hundred Fifty Only


E. & O.E

Company's VAT TIN : 33851349767
 Company's CST No. : 1015949
 Company's Service Tax No. : AFJPS1357JSD002
 Company's PAN : AFJPS1357J

Declaration
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

TRUE COPY ATTESTED

for New Dawn Water Engineering
 SRI MANAKULA VINAYAGAR
 MEDICAL COLLEGE & HOSPITAL
 KALITHEERTHAL KUPPAM,
 MADAGADIPET, PUDUCHERRY-605 107.



This is a Computer Generated Invoice

STP



TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKURPAM,
MADAGADIPET, PUDUCHERRY-605 107.

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-009

Issuance Date: 14/03/2017

Document Number: 14-RLXE-2730

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil-5C	G-XR-12175

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

TRUE COPY ATTESTED

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY



Note: This document is also available at www.aerb.gov.in
परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

NEW-01

2/24/07

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-018

Issuance Date: 06/02/2015

Document Number: 15-LOEE-30939

Expiry Date: 06/02/2020

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 of the Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil-5C	G-XR-27284

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

A. Sonawane

Dr. Avinash U. Sonawane

TRUE COPY ATTESTED Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL,
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE AND HOSPITAL
KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605 107.

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुसक्तिनगर, मुंबई 400094 (महाराष्ट्र)



भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-003

Issuance Date: 14/03/2017

Document Number: 14-RLXE-2650

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil-5E	G-XR-12109

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

TRUE COPY ATTESTED

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY



Note: This document is also available at www.aerb.gov.in
परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

✓ 07/11/18

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD

अध्यक्ष
Chairman

Case File Number: PY-20568-RF-XL-007

Issuance Date: 11/06/2018

Document Number: 14-RLXE-2732

Expiry Date: 11/06/2023

LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Computed Tomography	M/s. Philips Medical Systems	MX 16	G-XL-12133

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM DHANA SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment. MR. MAHALINGAM DHANA SEKARAN is the designated Radiological Safety Officer (RSO).

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

S. Radwan

TRUE COPY ATTESTE (Competent Authority)

MR. MAHALINGAM DHANA SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL,
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET,

SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605 107.



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008
Organisation

CT/IR

Call Lab

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD

अध्यक्ष
Chairman

Case File Number: PY-20568-RF-XL-017

Issuance Date: 02/07/2014

Document Number: 14-LOEE-12198

Expiry Date: 02/07/2019

LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 of the Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Interventional Radiology	M/s. Philips India Limited	Allura FC	G-XL-13176

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM DHANA SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

TRUE COPY ATTESTED

(Competent Authority)

MR. MAHALINGAM DHANA SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

DEAN
SRI MANAKULA VINAYAGAR
HOSPITAL, KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605 107.

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

(1)

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-016

Issuance Date: 31/12/2018

Document Number: 14-LOEE-4158

Expiry Date: 06/03/2024

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Mammography	M/s. Allengers Medical Systems Limited	MAM- VENUS	G-XR-12586

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued **ONLY** from the **RADIATION SAFETY VIEW POINT**. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

TRUE COPY
MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE AND HOSPITAL,
KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605 107.

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुसक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in


दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

TDL badge



TRUE COPY ATTESTED

DEAN
SRI MATHA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALKUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-008

Issuance Date: 15/03/2017

Document Number: 14-RLXE-2731

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Siemens Limited	Polydoros-LX R	G-XR-12174

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-001

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2647

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Allengers Medi Systems	MARS 50 PLUS	G-XR-12107

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM DHANA SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation
फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-001

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2647

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERY, PONDICHERY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Allengers Medi Systems	MARS 50 PLUS	G-XR-12107

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM DHANA SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERY, PONDICHERY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

80-9-2016/32 AM 00d

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-026

Issue Date: 19/09/2016

Document Number: 16-LOP-132343

Expiry Date: 19/09/2021

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Fixed)	M/s Siemens Healthcare Private Limited, India	Heliophos-D (Fixed)	G-XR-55607

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

TRUE COPY ATTACHED
MR. MAHALINGAM SEKARAN, CHAIRMAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-005

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2646

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Siemens Limited	Pleophos-D	G-XR-12111

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued **ONLY** from the **RADIATION SAFETY VIEW POINT**. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM DHANA SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-004

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2651

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Siemens Limited	pleophos-D	G-XR-12110

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM DHANA SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008
Organisation

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650

1

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-023

Issue Date: 07/02/2017

Document Number: 17-LOP-162976

Expiry Date: 07/02/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62561

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605 107.

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-021

Issue Date: 07/02/2017

Document Number: 17-LOP-162977

Expiry Date: 07/02/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62559

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650

TRUE COPY ATTESTED

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605107.

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-022

Issue Date: 07/02/2017

Document Number: 17-LOP-162980

Expiry Date: 07/02/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62560

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALA KUPPAM,
MADAGADIPET, PONDICHERRY-605 107.

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008
Organisation

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-015

Issuance Date: 15/03/2017

Document Number: 14-RLXE-3328

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Siemens Limited	Multimobile 2.5	G-XR-12308

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-014

Issuance Date: 15/03/2017

Document Number: 14-RLXE-3330

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Siemens Limited	Multimobile 2.5	G-XR-12307

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अनुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008
Organisation

फैक्स/Fax: 91-22-2599 0650



Case File Number: PY-20568-RF-XR-013

Issuance Date: 15/03/2017

Document Number: 14-RLXE-3331

Expiry Date: 31/03/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Siemens Limited	Multimobile 2.5	G-XR-12306

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.


Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY



Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



1

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-023

Issue Date: 07/02/2017

Document Number: 17-LOP-162976

Expiry Date: 07/02/2022

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62561

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM
MADAGADIPET
PONDICHERRY, PONDICHERRY-605107

TRUE COPY ATTESTED

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

DEAN
SRI MANAKULA VINAYAGAR
MEDICAL COLLEGE & HOSPITAL
KALITHEERTHALA KUPPAM,
MADAGADIPET, PUDUCHERRY-605 107.

Note: This document is also available at www.aerb.gov.in/elora




परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650

SMVMCH/WASTE MANAGEMENT POLICY/01	 Sri MANAKULA VINAYAGAR Medical college and Hospital	Page 1 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

1. PURPOSE:

To ensure a sustainable and holistic environment with effective waste management in Sri Manakula Vinayagar Medical College and Hospital.

2. SCOPE:

The primary focus is to minimize the waste production using different innovative ideas and techniques.


3. RESPONSIBILITY:

Maintenance department, housekeeping department, hospital infection control committee, EDP department, biomedical engineering department are responsible for proper maintenance of facility.

4. PROCEDURES:

SOLID WASTE MANAGEMENT:

The institute has kept different coloured bins to segregate the degradable and non-degradable waste like paper, plastic, food, glass bottles, biomedical, clothes and housewares and electrical wastes which is generated from the medical facilities, food courts, research lab, hostel, gym and stores. An account of the hazardous nature and environmental issues with human health risks, chemical and solvents waste bins are kept separately in laboratories and research labs. Every day, after office hours all the organic and inorganic wastes are collected from bins and transported to the dump yard for further processing and packaging. Institute has implemented smart classrooms to minimize the usage of paper.

SMVMCH/WASTE MANAGEMENT POLICY/01	 Sri MANAKULA VINAYAGAR Medical college and Hospital	Page 2 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

BIOMEDICAL WASTE MANAGEMENT:

Bio-medical waste (BMW) is handled in an appropriate and safe manner.


The organization adheres to statutory provisions with regard to bio-medical waste.

Waste management policy at Sri Manakula Vinayagar Medical College & Hospital has been implemented in accordance with the rules of Biomedical Waste Management Act. The hospital has got the consent to operate under pollution control board.

HOSPITAL adopts colour coded segregation of biomedical waste in all patient care areas. This will be monitored by sanitary inspector, housekeeping in-charge and ICN on daily basis.

Color coded bags	Contents
Yellow	Infected non-plastic materials only
Red	Infected plastics only
White puncture proof box	Metal sharps only
Blue puncture proof box	Glass sharps, body implants
Green	General waste


- Segregation is done at source. (Posters of proper segregation are displayed Annexure -1)
- A colour code is followed and appropriately coded waste bags are placed in bins in all patient care areas.

SMVMCH/WASTE MANAGEMENT POLICY/01	 Sri MANAKULA VINAYAGAR Medical college and Hospital	Page 3 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

- All waste containers are emptied when they are 3/4th full
- Segregated bio medical waste is transported to the central waste collection area of the hospital in properly covered containers in secured manner.
- Waste from various patient care areas is removed twice a day or more if necessary. All bags that are being transported to the central waste collection area will have to be tied at the mouth to avoid spillage during transport.
- Smaller bags are collected into larger bags and carried by the on-duty housekeeping staff to designated storage areas on trolleys. Bags shall be picked up and then transported when 3/4th full.
- Avoid the transport of too many bags at one time and contact of the bag with the body of personnel.
- Avoid mixing of segregated wastes.
- The staff is provided with personal protective equipment (PPE)
- Biomedical waste segregation audit is done by ICN frequently (Annexure -2)
- Daily register is maintained regarding the amount of waste generated in different category (Annexure -3)

Disposal of contaminated needles and syringes


- Contaminated needles are destroyed using a needle destroyer.
- Contaminated syringes with needles are put in puncture proof container (white)

SMVMCH/WASTE MANAGEMENT POLICY/01	 Sri MANAKULA VINAYAGAR Medical college and Hospital	Page 4 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

- At segregation, only syringes are put in red color coded plastic bags.

Bio medical waste treatment facility

- The hospital has tie- up with Pondicherry Solid Waste Management Private Limited (Common waste management facility). The waste is collected from the common collection area of hospital by outsourced workers and transported in a covered vehicle to the treatment facility at Thuthipet, Puducherry-605 502.
- The hospital BMWM committee members or their authorized person shall visit the outsourced facility at Thuthipet, Puducherry once in 6 months to ensure waste disposal according to BMW rules.
- Annual report of waste generated is maintained by chairman BMWM committee and report submitted to Puducherry Pollution Control Board.
- All categories of staff handling bio medical waste are given strict instructions regarding usage of appropriate personal protective equipment.
- All categories of staff involved in bio medical waste management are provided free health check-ups and vaccination against hepatitis B and tetanus.
- Any accidents involving workers shall be reported in casualty.

SMVMCH/WASTE MANAGEMENT POLICY/01	 <p>Sri MANAKULA VINAYAGAR Medical college and Hospital</p>	Page 5 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

ELECTRONIC AND COMPUTER WASTE

Medical facilities collect vast amounts of data about their patients and employees. From scheduled appointments to lab results and vaccination records, there are many kinds of personal information we gather and store in our data center or server room facility.

In a typical medical facility, the sensitive information to be stored on:


- Internal and external hard drives
- Portable USB drives and memory cards
- CDs and DVDs
- Audio and video tapes

When these devices and the data on them are no longer needed, it's important to make sure that they are unreadable. Not only is this required by law, but it's also a common sense practice to prevent identity theft. This can be achieved in a few different ways.

Destroying sensitive digital data

There a few secure ways to destroy sensitive digital data stored by our facility. Of course, the most secure way is total destruction by shredding, grinding or melting. Once that's done, there is really no way to put the pieces back together and retrieve what was on the storage device. However, this approach is not always practical. Many times, digital storage devices can be recycled or reused in a different department within our facility.

Demagnetizing storage media

SMVMCH/WASTE MANAGEMENT POLICY/01	 <p>Sri MANAKULA VINAYAGAR Medical college and Hospital</p>	Page 6 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

Magnetic media, such as hard drives, floppy disks and ZIP disks use magnetization to both read and record data on the device. Under the influence of a strong magnet, this magnetic field can be permanently impaired, so the storage media will be rendered useless.

Overwriting storage media

To reuse or recycle our device, we can overwrite it to erase all information on it. For better security, several overwrites can be performed. Overwriting doesn't put new information on top of the old one it randomizes the patterns in which the data used to be stored. Once that's done, you can install a new operating system or upload other types of files to our storage device.


Overwriting can be used only on re-writable media. For example, some CD and DVD disks can only be used once to record information. We can't add any more files or delete files off such a disk. If we need this information erased, the media will have to be physically destroyed.

Secure recycling containers

If we are shredding paper or disposing of other types of sensitive data on our premises, consider placing this waste in secure, lockable containers. Dumpster diving for personal information is nothing new, and even finely shredded paper can be pieced back together with some effort.

Our medical waste removal vendor may offer secure containers. We carry several options of lockable containers and can even do the shredding at our secure facility. After the paper is shredded, we send it to an incinerator.




Measures against hacks

SMVMCH/WASTE MANAGEMENT POLICY/01	 Sri MANAKULA VINAYAGAR Medical college and Hospital	Page 7 of 7
Amendment No:00		Issue No: 01
Amendment Date: 20.06.2017	POLICY AND PROCEDURE – WASTE MANAGEMENT POLICY	Issue Date: 20.06.2017

It is our responsibility to ensure the safety of our internal networks and protect digital information from hackers. Although there is never a 100% guarantee of our databases or website won't get hacked, there are some things you can do to reduce this possibility. Using antivirus servers secure email and secure forms should be our first steps. Making sure each of our computers is equipped with up-to-date anti-virus software is also important.

Toner cartridge recycling

Printer cartridge or toner is something which comprises almost 15% of total e-waste produced at our hospital. We are disposing the tonners by handing over the same to authorized toner cartridge recycler.

	Designation	Signature	
Prepared by	Dr. Mangaiyarkarasi Professor of Microbiology Infection Control Officer and Mr. B. Raja IT Manager		
Reviewed by	Dr. M. Pragash NABH Co-ordinator		
Approved by			
Issued by	Dr. D. Rajagovindan Director	