


Sri  
**MANAKULA VINAYAGAR**  
Medical College and Hospital

Kalitheerthalkuppam, Madagadipet, Puducherry – 605107.

**Department of Pharmacy**  
**SURGICAL DISPOSABLE FORMULARY**

Edition II



## PREFACE

---

This surgical disposable Formulary of Sri Manakula Vinayagar Medical College and Hospital is a concise and handy book designed for quick reference of current essential surgical items in medical practice. As it is not possible to include all items, commonly used items in our hospital with their specification, the company and cost have been included. However, as the medical knowledge is vast and continuously being upgraded, changes may have occurred and may not have been reflected in the incorporated information.

**Note:** The price given is for an estimation of the cost of therapy and not the exact selling price, which may vary.

“Let food be thy medicine and medicine be thy food.”  
-Hippocrates

## CONTENTS

<b>SL. NO.</b>	<b>SECTION</b>	<b>PAGE NO.</b>
1	ANAESTHESIA	1
2	CARDIO - THORACIC SURGERY	4
3	DIALYSIS	7
4	GASTRO-ENEROLOGY	8
5	GENERAL SURGERY & WOUND DRAINAGE	11
6	INFUSION THERAPY	17
7	SUTURES	19
8	UROLOGY	26
9	WOUND DRESSING	26
10	MISCELLANEOUS	27
11	IMPLANTS	32

## ANAESTHESIA

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	ONLINE VENTILATOR NEBULIZER KIT			STARMED		275.00
2	TRACHEOSTOMY TUBE	8.5(CUFFED)		ROMSONS	Made of thermosensitive material which softens at body temperature to accommodate individual patient anatomy. Soft flexible flange helps easy fixation. 15 mm connector can be rotated in 360 degree direction & facilitates the safe connection to breathing system from any direction. Radio opaque blue line for X-ray visualization. Soft low pressure cuff dynamically adjusts the pressure at the point of contact during the breathing cycle. Thus minimize the risk of tracheal trauma & other complications. Pilot balloon with non return valve facilitates the cuff inflation & deflation. Supplied with cotton neck tape. Sterile, individually Blister packed.	1674.00
		9.0(CUFFED)				1674.00
3	TRACHEOSTOMY TUBE INNER CANNULA	7.0, 8.0, 8.5, 9.0		ROMSONS	The inner cannula sits inside the outer cannula and is designed to be removed and cleaned or removed and replaced. As mucous builds up within the inner cannula (normal) the airway is narrowed. By removing the inner cannula, the airway is improved as the patient is able to breath freely through the space of the outer cannula. This is especially important in the event of a mucous plug that may block the entire inner cannula. The resulting inability to breath is quickly corrected by removing the inner cannula.	810.00
		7.5		PORTEX		892.00
4	OXYGEN MASK WITH RECEIVIER BAG	PAEDIATRIC		ROMSONS	Elongated face mask with anatomical shape. Elastic band and adjustable aluminum nose clip. Extra soft medical grade PVC oxygen hose – tubing (2.1mt). 100% extra soft clear vinyl. Low resistance control valve. 750 cc reservoir bag. Latex-free.	400.00
5	BAIN BREATHING CIRCUIT	PAEDIATRIC		ROMSONS	It is based on Mapleson "F" system, provided with 15 and 10 mm corrugated tube with a 0.5 ltr antistatic Rebreathing Bag and a bag bleed valve. UNIT CONSISTS OF : 22mm Cap. 15mm corrugated tube, 0.42 metres long. 10mm corrugated tube, 2 metres long. Expiratory valve. 0.5 litres antistatic rebreathing bag. Standard connectors. Extra circuit adopters.	1665.00

		ADULT			A co-axial modification of the basic "T"-piece system, developed to facilitate scavenging of waste gases. The process includes patient inspiring fresh gas from the outer reservoir tube and expiring into reservoir tube. Convenient, lightweight anesthesia delivery system. It is based on Mapleson "D" system, provided with a corrugated tube, expiratory valve and antistatic bag. The modification improves clinical utility.	1800.00
6	VENTILATOR CIRCUIT KIT(CLOSED) - 2LIMB PLAIN	ADULT		BREEZ MEDD	Ventilator circuits that assist in connecting the patient's airway to anesthetic machine thus providing for artificial breathing atmosphere. The complete setup comprises fresh gas entry port that allows gases to be delivered from machine to system, gas reservoir in form of a bag or corrugated tube, corrugated tubes for connecting components and others. We proffer anesthesia Ventilator circuits with much precision for the superior functional performance. The functions of anesthesia breathing circuits are as follows.	1200.00
7	ENDO TRACHEAL TUBE	3.0 CUFFED, 3.5 CUFFED, 4.0 CUFFED, 4.5 CUFFED		RUSH	Available in sizes 3.0 – 10.0 Murphy Eye: Provides an alternate pathway for gas flow in case of occlusion. High quality valve: For reliable control of cuff inflation and pressure. Clear 15mm connector: Enables connection to standard anaesthetic and ventilation breathing system equipment. Radio-opaque line: To enable identification of the endotracheal tube on a chest X-Ray. Single Use: Reduces the risk of contamination Calibration: An accurate indication of insertion depth and an aid for monitoring the endotracheal tube position. Depth marker lines: To facilitate the placement of the tube during intubation. (This should always be confirmed by auscultation). High volume, low pressure cuff: Minimising trauma to the trachea with a low pressure seal against the tracheal wall protecting the patient's airway, preventing leakage and allowing accurate control of gas flow. Smooth soft tip: To reduce the potential of tracheal trauma during intubation.	128.00
8	EPIDURAL MINI PACK SYSTEM-1	16 G		PORTEX	Tuohy needle Nylon epidural catheter with connector and guide LORD syringe Catheter label 0.2µm epidural filter.	850.00

9	CENTRAL VENOUS CATHETER(TRIPLE)-X	7fr	15cm	HELMIER	<p>For administration of hyperosmolar solutions, measuring CVP, haemodialysis, plasmapheresis, rapid infusion of fluid among other uses.</p> <p>Acent provides the benefit of polyurethane catheter which is soft, kink resistant, extremely biocompatible with excellent wear properties and elastic memory.</p> <p>Three separate non-communicating vascular access lumens within a single catheter body.</p> <p>Proximal lumen for blood sampling, medications and blood administration.</p> <p>Distal lumen for CVP monitoring, blood administration, medications.</p> <p>Medial lumen exclusively for total parenteral nutrition.</p> <p>Reduces the necessity for multiple venipunctures.</p> <p>Exit ports of individual lumens are separated by appropriate distance in proportion to the catheter's French size.</p> <p>Coaxial catheter design maximizes inner diameter of central lumen for high flow capacity.</p> <p>Disposable, sterile and non-pyrogenic.</p>	4650.00
10	PRESSURE MONITORING LINE- MALE-FEMALE		100cm	HELMIER	<p>Small bore high pressure extension line</p> <p>Made of clear, non-toxic medical grade PVC material</p> <p>Suitable for high pressure monitoring and for connection between syringe infusion pump and patient</p>	426.00
			200cm	HELMIER	<p>Multi-purpose extension line provided with male luer lock at one end and female luer lock at other end and fits all standard equipment</p> <p>Luer lock connectors provide secure fitting</p> <p>Can sustain a pressure upto 10 kg/ cm<sup>2</sup> or 140 psi.</p>	390.00
11	COMBINED SPINAL EPIDURAL KIT	27G/18G		HELMIER	<p><b>18G &amp; 16G Tuohy Needle:</b> This larger needle is used to locate and access the epidural space. The Tuohy needle has a curved tip that aids in threading the epidural catheter through it, allowing for the administration of epidural anesthesia or analgesia. The epidural component can be used for continuous or intermittent administration of local anesthetics and/or opioids for prolonged pain relief or extending the anesthesia if needed during the procedure.</p>	2618.00
		26G/16G		HELMIER	<p><b>27G &amp; 26G Pencil Point Needle:</b> This smaller, finer needle is designed with a pencil-point tip to facilitate a smoother, less traumatic entry into the subarachnoid space. It's used for administering the initial spinal anesthetic, which provides a rapid onset of analgesia or anesthesia. The pencil-point design helps to reduce the risk of post-dural puncture headache, a potential complication of spinal anesthesia.</p>	

## CARDIO - THORACIC SURGERY

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	CVP MANOMETRE (ROMSON)			ROMSONS	Suitable for continuous or intermittent, monitoring of central venous pressure during infusion particularly in ICU, CCU, OT's and casualty departments. Manometer tube with graduation from -4 cm to +34 cm and attached to three way tap. 120 cm. long extention tube is fitted with female luer lock on one end and male luer lock on the other end for safe connection to central venous catheter. Injection site is provided additionally for extra medication. Sliding indicator provided to record previous reading. Moulded clamps with elastic strings are provided for easy fixation on the I.V. stand. Sterile, individually packed in peelable pouch.	381.00
2	ACKERMANN EURO CLIPS- SMALL-(TIT) CT.OT			ACKERMANN	This unique product line consists of a full range of clip appliers and titanium atraumatic haemostatic clips,Ackermann has the most atraumatic shaped clip.	220.00
3	PRESSUR BAG-1000ML	1000ml		ROMSONS	<b>STANDARD</b> <b>ONE-HANDED PREP</b> Stopcock placed close to bulb for easy inflation, closure once fully pressurized, and deflation. <b>PRESSURE</b> Valve is factory pre-set for pressurization up to 300mmHg. <b>OVER PRESSURE</b> Depress blue button to set valve for overpressure mode allowing 300-450mmHg for rapid infusion. <b>POLE HANGER</b> Easy and stable placement onto IV pole. <b>FLUID BAG HOOK</b> Bag attaches easily to rigid hook which secures bag in the event of pressure loss.	5500.00

4	CPAP/BPAP TUBING(ADLISC)	6ft	22mm	ADLISC MEDICAL DEVICES PVT. LTD.,	Durability Very flexible Universal connection that can be used with any CPAP machine or mask standard 6ft tube length 22mm diameter tube connector.	1575.00
5	EMBOLECTOMY CATHETER 4FX80CM(FOGARTY)	4fr	80cm	NEWTECH MEDICAL DEVICES	Embolectomy catheters are indicated for the removal of fresh, soft emboli and thrombi from vessels in the arterial system. Remains the leading choice for simple and rapid removal of emboli and thrombi from the arterial system.	5500.00
	EMBOLECTOMY CATHETER 5FX80CM(FOGARTY)	5fr	80cm		Recessed winding technique for balloon attachment ensures balloon symmetry for uniform contact with vessel walls, providing consistent clot removal.	5500.00
	EMBOLECTOMY CATHETER 6FX80CM(FOGARTY)	6fr	80cm		For removal of more adherent or fibrous material, refer to the Fogarty adherent clot catheter.	5500.00
6	INTERGARD KNITTED GRAFT	6	40	GETINGE	Material: Collagen-coated polyester Knitting Technique: Reverse lock-knit Surface: External velour and non-velour inner surface Water Permeability: < 5 ml/cm <sup>2</sup> /min Safety: Magnetic Resonance Safe (MR Safe) Configurations Intergard grafts are available in various designs to suit different surgical needs: Straight Grafts: Straight vascular prostheses. Bifurcated Grafts: Designed to split into two branches. Trifurcated/Quadrifurcated Grafts: Grafts with three or four branches, respectively. Radially Supported Grafts: Feature a supportive polypropylene coil for enhanced resistance to kinking and compression.	26132.00
		8	40		Collagen-coated polyester graft Reverse lock-knit knitting technique External velour surface and non-velour inner surface Magnetic Resonance Safe Radially Supported grafts have a polypropylene supportive coil Water permeability: < 5ml/cm <sup>2</sup> /min.	24888.00
7	DIALYSER F5 (HEMOFLOW)			FRESENIUS KABI	Ultrafiltration coefficient (ml/h x mmHg) 10, Clearance: QB:(200ml/min), Urea 179, Creatinine 162, Phosphate 139, Vitamin B12 84, Clearance: QB: (300ml/min), Urea 227, Creatinine 196, Phosphate 162, Vitamin B12 91, Clearance: QB: (400ml/min), Urea, Creatinine, Phosphate, Vitamin B12, The in vitro performance data were obtained with QD = 500ml/min; QF = 0ml/min; T=37°C (ISO8637) The ultrafiltration coefficients were maintained using human blood, Hct = 32%, protein content 6% Effective surface area (m <sup>2</sup> ) 1 Blood priming volume (ml) 63 Membrane material,Housing material ,Potting compound,Sterilization method Form of treatment.	1435.00

8	ON/OFF KIT(LAAZO-ON/OFF-5GAUZE- 2PAIR GLOVE)			GLOBAL MEDITRONIC	Reliable, Durable, Soft surface.	30.00
9	ECG ELECTRODES			DYNA	Conductive Gel: ECG electrodes typically utilize a conductive gel, often containing potassium chloride, to facilitate electrical signal transmission from the skin to the electrode. Solid gel electrodes are preferred for their ease of use and minimal mess, while some electrodes may use a liquid or hydrogel formulation. Material: The conductive element is often made of silver/silver chloride, which provides stable and reliable electrical contact. The adhesive material varies but commonly includes foam or cloth-based options, offering different levels of adhesion and comfort.	60.00
10	FLEXO CATH-RA	28FG, 32FG		ROMSONS	Thoracic drainage catheter manufactured from DEHP Free material. Extra soft catheter is gentle to the body tissues. Proximal end fitted with specially designed tapered tongue which provides excellent forceps grip and facilitates atraumatic insertion. Catheter is marked at every 2 cm from the last eye to ascertain the depth of placement. Sterile, double packed in peelable pouch pack.	610.00
11	SAUVAGE FILAMENTOUS FE	10.2CMX10.2CM		BARD	Filamentous Fabric, 10.2 x 10.2 cm, 0.61 mm Thickness, Knitted Polyester, 1800 mL /cm2 /mn Approx. Water Porosity.	9460.00
12	SM RIGID SADDLE RING	28MM		St.Jude Medicals	Designed to restore the shape of a healthy mitral annulus Titanium core maintains the anatomical shape and provides annular remodeling Saddle shape contributes to efficient distribution of leaflet stress and chordal tension, which may increase repair durability EZ Suture™cuff is supported by a unique triangular core for a larger suture target.	49500.00
13	OXYGENATOR ADULT INSPIRE	6F		Sorin Group Italia Srl	4.5 litre max. reservoir capacity volume. - 4 litre maximum operating volume. Maximal system rotational freedom. Port orientation, and system priming have been optimized to offer easy set-up and operational flexibility. The simple bracket design allows easy and fast mounting of the oxygenator system. Bracket is available with a regular screw clamp and fast lock mechanism.	38420.00
14	INTRANULE(ARTERIAL CATHETER)	16G		HELMIER	Material: Polypropylene. Length: For instance, 105 mm. Gauge: For instance, 16G. Sterilization Method: Radiation sterilized	1800.00

15	BARD PTFE FELT	15.2cmx15.2cm(6"x6")		BARD	Material: Polytetrafluoroethylene (PTFE), also known as Teflon. Form: Felt, a fabric-like material with a fibrous texture. Thickness: Typically 1.65 mm, but can vary. Dimensions: Available in various sizes, such as 4.8 mm x 6.0 mm (3/16" x 1/4") and 10.2 cm x 10.2 cm (4" x 4"). Shape: Usually rectangular. Non-absorbable: PTFE felt is a non-absorbable material	11875.00
16	LIFESPAN VASCULAR GRAFT	6MM	50CM	Medifocus India Private Limited	Regular Wall - Center Spiral Support Straight 6 mm 50 cm 5 cm R06050CS5 6 mm 50 cm 10 cm R06050CS 7 mm 50 cm 10 cm R07050CS 8 mm 50 cm 10 cm R08050CS Regular Wall - Center Spiral Support Quick Tapered 4-7 mm 50 cm 5 cm QT4745CS5 4-7 mm 50 cm 10 cm QT47045CS without notice. Please consult your sales representative for details. The following model is not licensed for sale in Canada: R08050CS Regular Wall Quick Tapered 4-7 mm 40 cm QT47040 4-7 mm 50 cm QT47050 Regular Wall - Center Spiral Support Stepped 4-7 mm 50 cm 5 cm RS4750CS5 4-7 mm 50 cm 10 cm RS47050CS Thin Wall - Center Spiral Support Straight 6 mm 50 cm 30 cm T06050C30 7 mm 50 cm 30 cm T07050C30 8 mm 50 cm 30 cm T08050C30 6 mm 80 cm 50 cm T06080C50 7 mm 80 cm 50 cm T07080C50 8 mm 80 cm 50 cm T08080C50 Regular Wall Stepped 4-7 mm 50 cm RS47050	120000.00

## DIALYSIS

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	AVF NEEDLE (BROW-AVF-17)	17G	Needle length : 1" (25mm) Tube length : 280 mm	BROWDOVE	The Pristine AV Fistula needle is made from soft PVC that is kink resistant. It is available in sterile single and twin-pack pouches. The ultra-thin wall stainless steel needle with back-eye has siliconized material both on the internal as well as external surfaces. <b>It helps in:</b> Providing optimum penetration profile. Minimising pain during insertion. Maximising smooth, laminar flow.	13.50

2	PALINDROME (CHRONIC CATHETER KIT)	14.5FR	19CM	Medtronic Covidien Renal Care Solutions	Features: Silver-ion antimicrobial sleeve. Non-eluting Heparin coating Carbothane material. Laser-cut side slots and symmetric tip design. Laser-cut side slots Continuous flow between dialysis treatments due to symmetric tip design and laser-cut side slots, Ultem adapters, Silicone extensions, Laser-printed priming volumes, Symmetric tip design 14.5F (15.5F for RT) Double-D Design .	23000.00
	PALINDROME (CHRONIC CATHETER KIT)	14.5FR	23CM			23000.00
	PALINDROME (CHRONIC CATHETER KIT)	14.5FR	28CM			23000.00
3	PRISMAFLEX TPE-2000 KIT			BAXTER	Pre-Connected Sets For Plasmafiltration.	22000.00
4	PRISMAFLEX M-100 KIT				Preconnected Hemofilter Sets With The An 69 Dialyzer Membrane For Crrt.	18000.00
5	DIALYZER	14		Dora	1.4 square meter surface area and a polyethersulfone membrane, with specific dimensions including an inner diameter of 200µm and wall thickness of 30µm, and a maximum Transmembrane Pressure (TMP) of 70 kPa.	750.00
		18			Membrane Material: Polyethersulfone. Flux Type: Low or High Flux. Weight: 200g. Body Material: Clear PVC. Surface Area: 1.8 square meters.	

## GASTRO-ENTEROLOGY

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	COLOPLAST OSTOMY BAG-15MM(1902)			Coloplast india pvt.ltd.,	Coloplast 1902 LC 2000 Stominal Open Bag - Skin friendly and Comes with Curaguard adhesive. Size : 15-60 mm.	140.00
2	COLOPLAST TRANSPARENT OSTOMY BAG(13860)			Coloplast india pvt.ltd.,	Oloplast Ostomy/Stoma Bag 13860 (1 Pc) Open with Hide-away Outlet Transparent Size : 12-75mm Maxi Tran Drainable Ostomy Pouch.	230.00
3	COLOPLAST CLAMP			Coloplast india pvt.ltd.,	Effective closure of open bags.	55.00
4	T TUBE (ROMSON)-SIZE12	12		ROMSON	Medical Grade PVC made siliconised "T" tube for Common Bile Duct drainage. Super smooth siliconized low friction surface prevents clogging. Radio opaque line provided throughout its length for X-ray visualization. Sterile, individually packed in peelable pouch pack.	221.00

5	MULTI BAND LIGATOR (PEDIATRIC)	8	9.5mm	SHAILI ENDOSCOPYBARREL	<b>Band Ligator Colonic Set Contains:</b> pc., Barrel loaded with 6 x Bands, loaded with 7 x Bands, Atraumatic plastic hook with Tube X1pc., Flushing Needle blunt tip x1 pc. band with different colour.	Applicator x 1 Barrel Second last Barrel	2500.00
6	MULTI BAND LIGATOR (ADULT)	9.5	11.2mm	SHAILI ENDOSCOPYBARREL	<b>Barrel Colonic Contains:</b> loaded with 6 x Bands, Barrel loaded with 7 x Bands, Atraumatic plastic hook with Tube X1pc.	Barrel	2500.00
7	LIGATING CLIP- 100			ETHICON	Lateral and traverse grooves on clip surface help provide on-structure clip security - Proximal to distal clip closure provides minimal gap - Tumbled tips help reduce trauma to vessels - Grooves on inside jaw surfaces of applier increase in-jaw clip security - Angled jaws improve visibility beyond structures - These clips are compatible with both open and endoscopic single clip appliers - The ligating clips are made of Titanium - The clips are designed for ligation of tubular structures where a non-absorbable ligating device is indicated - The handles and clip cartridges are conveniently colour-coded Reusable applier is modular for easy decontamination Single-use clip cartridges available in Small-Medium and Medium-Large clip sizes.		420.00
8	ENDOSCOPIC LINEAR CUTTER ARTICULATING RELOAD-	60mm		LOTUS	Stronger streamlined fixed anvil. Reinforced and integrated i-beam design. Brand-new knife blade in each firing. Stepped cartridge face (in Variable Tissue Compression Reloads). Variable staple heights from inner to outer (in Variable Tissue Compression Reloads).		13000.00
9	ENDOSCOPIC LINEAR CUTTER ARTICULATING RELOAD	45MM	5mm	LOTUS	Stainless Steel Disposable Yes Sterile Yes Color White - Endopath ETS Linear Cutters are sterile endoscopic devices - These are designed with a sturdy precision machined anvil & system wide compression to gently & uniformly compress the targeted tissue along its entire length - These linear cutters can grab, hold and manipulate tissue without the need for a second device - Ease-of-use and tissue control enable precise tissue positioning - Safety lockout helps prevent a used cartridge from being refired - These are available in 3 shaft lengths: Compact (240 mm)/Standard (340 mm) & Long (440 mm)		10500.00

10	PROLAP PREMIUM RETRIEVER ENDO BAG - LLR-PT130P			LOTUS	ProLap® Laparoscopic Retriever is a single-use instrument consisting of a tube and retrieval bag, designed for retrieving specimen in Minimally Invasive Surgery (MIS) procedures. The instrument is available in two sizes as per the dimensions of the retrieval bag.	5800.00
11	LIGATING CLIP- 200			MERIL	Lateral And Transverse Grooves Precise Tip-To-Tip Closure Titanium Clips 6 Clips Cartridge 12 Appliers With Different Sizes And Lengths	7290.00
12	PROLAP-(BLADELESS OPTICAL TROCAR WITH SLEEVE)	100mm		LOTUS	Bladeless obturator penetrates by dilating. 3-way stopcock design capable of rapid deflation, protecting against contamination. Blunt traumatic tip decreases the risk of damage to internal tissue. Tooth-like screw thread design to improve fixation. Universal seal provided for accommodation of 5mm to 10mm or 5mm to 12mm sized	5800.00
13	CRE PULMONARY	8MMX9MMX10M M(5033)		Boston Scientific	Controlled Radial Expansion (CRE): The balloon expands radially, providing a controlled and gradual dilation of the stricture. Single-use: Designed for one-time use, minimizing the risk of cross-contamination. Guidewire Compatibility: Compatible with a 0.035" guidewire for accurate placement. Bronchoscope Compatibility: Compatible with a 2.8mm working channel bronchoscope. Successive Dilation: Designed for multiple inflations to achieve the desired dilation. High Radial Vector Force: Provides a strong radial force to open up the stricture. Low Stricture Compliance: Helps to minimize the risk of tissue damage during dilation. Rapid Inflation and Deflation: Allows for efficient and timely dilation procedures. Radiopaque Markers: Facilitates fluoroscopic visualization during the procedure.	38000.00

14	CRE WIRE GUIDED	(12-13.5-15)MMX5.5CM WL240CM(5848)		Boston Scientific	Controlled Radial Expansion (CRE): The balloon expands radially, providing a controlled and gradual dilation of the stricture. Single-use: Designed for one-time use, minimizing the risk of cross-contamination. Guidewire Compatibility: Compatible with a 0.035" guidewire for accurate placement. Bronchoscope Compatibility: Compatible with a 2.8mm working channel bronchoscope. Successive Dilation: Designed for multiple inflations to achieve the desired dilation. High Radial Vector Force: Provides a strong radial force to open up the stricture. Low Stricture Compliance: Helps to minimize the risk of tissue damage during dilation. Rapid Inflation and Deflation: Allows for efficient and timely dilation procedures. Radiopaque Markers: Facilitates fluoroscopic visualization during the procedure.	48000.00
15	PRO VISC (DUAL MESH)	15	15CM	LOTUS	Material: Polyester and Polyurethane Construction: Dual-sided with a permeable peritoneal side (polyester) and a non-adherent visceral side (polyurethane) Sterilization: 100% Ethylene Oxide.	39780.00

## **GENERAL SURGERY & WOUND DRAINAGE**

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	PROSEC LINEAR CUTTER RELOAD	80mm	3.8mm	LOTUS	Single use instrument that places two double -staggered rows of titanium staples and simultaneously divides the tissue between the two rows. The reload comprises a complete assembly of a cartridge and knife bar. The instrument is used for resection and side to side anastomosis in open GI procedures.	5700.00
2	PROSEC LINEAR CUTTER LPLC	80U	3.8mm	LOTUS		12000.00
3	TERUMO GUIDE WIRE STRAIGHT SIZE-0.032X150cm	0.03	150cm	TERUMO MEDICAL CORPORATION	Nitinol Hydrophilic Guide Wires covered with polyurethane and hydrophilic coating for an absolute maneuverability and absence of friction. <ul style="list-style-type: none"> <li>• Extra flexible and non traumatic tapered tip</li> <li>• Extra hydrophilic thanks to the exclusive "M" polymer coating</li> <li>• Super elastic alloy core in Nitinol</li> <li>• One-piece construction for a better push and torque transmission.</li> </ul>	1900.00

4	PROSEC ENDO LINEAR STAPLER RELOAD-60mm(Blue)	60mm	Stable Leg Length: 12- 15 mm	LOTUS	ProSecEndoscopic Linear Cutter is a single-use instrument that places two triple-staggered, height-progressive rows of titanium staples and simultaneously divides the tissue between the two triple rows. The rotating and articulating reload has a stepped cartridge face having varied-height staples. The reload comprises a complete assembly of a cartridge, anvil and knife bar. The instrument is used with a 12mm trocar(15mm for thicker tissue) in endoscopic surgical procedures.	9000.00
5	PROSEC LINEAR CUTTER RELOAD	80mm	4.8mm	LOTUS SURGICALS PRIVATE LTD	Endoscopic Linear Cutter is a single-use instrument that places two triple-staggered, height-progressive rows of titanium staples and simultaneously divides the tissue between the two triple rows. The rotating and articulating reload has a stepped cartridge face having varied-height staples. The reload comprises a complete assembly of a cartridge, anvil and knife bar. The instrument is used with a 12mm trocar(15mm for thicker tissue) in endoscopic surgical procedures.	6300.00
6	UBERSONIC PRO+-ULTRASONIC LAP SHEAR	5mm	23cm.I	LOTUS SURGICALS PRIVATE LTD	Ubersonic™ Pro+ is a surgical instrument used in laparoscopic procedures that uses ultrasonic vibrations to perform simultaneous cutting and coagulation of tissue. It provides secure grasping, precise cutting and reliable sealing to delicate structures without traumatizing underlying tissue. Ultrasonic Laparoscopic Shears Ultrasonic Shears for Open Surgery. Refined blade design. Delivers energy intelligently. Responds to changing tissue conditions. Provides enhanced audible feedback. Enables greater surgical precision and performance. Compatible with existing Ultrasonic Generators and Transducers in the market.	49500.00
7	EMBOLECTOMY CATHETER	2F	80CM	FOGARTY	It consists of a hollow tube with an inflatable balloon attached to its tip. The catheter is inserted into the blood vessel through a clot.	5500.00
		3F	80CM			5500.00
8	CAPSURE FIXATOR(30 PINS)			BD	The CapSure™ Fixation System is indicated for the approximation of soft tissue and fixation of surgical mesh to tissues during open or laparoscopic surgical procedures, such as hernia repair.	32078.00
9	CLARIS NONSTICK BAYONET BIPOLAR FORCEPS	200MM	0.3 MM Tip width	GRAZEDEAN LTD.,	Tip width 0.3 mm. Forceps shape bayonet Tip shape straight. Total length 200 mm Total length in inches 7.87 ". Connector Flat Plug Packaging unit 1. Insulated Insulated Reusable Yes. Manual reprocessing Yes, related to IFU.	9750.00
			0.6 MM Tip width		Tip width 0.6 mm. Forceps shape bayonet. Tip shape straight. Total length 200 mm. Total length in inches 7.87 ". Connector Flat Plug. Packaging unit 1. Insulated Insulated Reusable Yes.	9750.00
			1.0 MM Tip width		Tip width 1 mm. Forceps shape bayonet Tip shape straight. Total length 200 mm Total length in inches 7.87 ". Connector Flat Plug.	9750.00

			2.0 MM Tip width		Tip width 2 mm. Forceps shape bayonet Tip shape straight. Total length 200 mm Total length in inches 7.87 ". Connector Flat Plug.	9750.00
10	WIRE LOCALIZER(DUAL)	20G	10.7CM	BD	Proprietary wire design helps assure you of secure, confident placement Unique locking elements provide you with superior migration resistance allows you to reposition it after placement if necessary.	3652.00
11	PNEUMOSAC SAFETY ISOLATION BAG SIB	L-4200ml		LIMAS Medical Devices	Single-use disposable device intended to be used as a receptacle for laparoscopic removal of tissue masses during endoscopic procedures such as, ovarian cyst, laparoscopic myomectomy or laparoscopic hysterectomy etc.	6400.00
		M-2500ml				5900.00
12	CLOSURE FAST CATHETER	7F	60CM/100CM	Medtronic	The ClosureFast™ catheter precisely heats a 7 cm vein segment (or 3 cm for shorter, refluxing vein lengths) in one 20-second interval. The heat provided by the catheter shrinks and collapses the target vein, creating a fibrotic seal and occluding the vessel.	51223.00
13	MICROSCOPE OPERATING DRAPE			SURGIWEAR	flat lenses, angled lenses, and high light transmission (HLT) lenses as well as multiple sizes.	4100.00
14	PROLUS MESH-15cmX30cm			LOTUS	Transparent and Flexible – fits perfectly against the cavity wall. Easy to use in both celioscopy and laparotomy. Permeable – high capacity for colonization, regular homogenous tissue ingrowth and integration. Elasticity – excellent multidirectional mechanical properties and exceptional resistance to tearing. Ultra Light – for surgeons who care to implant as less material and weight as possible. Thin and Flexible – for maximum patient comfort and tolerance. Non aggressive, particularly at edges. Optimal Shape Memory – in case of celioscopic approach.	7140.00
15	GENERAL PACK (G.SURGERY)			AMARYLIS		1300.00
16	AB TACK ABSORABLE TRACKER-	5MM	5.1 mm (total length), 4.1 mm (inserted length), 1.0 mm (profile).	LOTUS	Mesh fixation device. Absorbable polyester copolymer, derived from lactic and glycolic acid (PGLA). Screw-in tack with a smooth head and proximal wings for flush placement against the mesh. Requires no sharp piloting needle, reducing the risk of accidental needle sticks.	30000.00
17	ENDOSCOPIC LINEAR CUTTER ARTICULATING RELOAD	60MM	2.5MM	LOTUS	Articulating Head: The reload can rotate and bend up to 45 degrees in either direction, providing enhanced maneuverability and access to the surgical site. Linear Cutting and Stapling: The device simultaneously staples tissue with two or three staggered rows of titanium staples and then divides the tissue between the staple lines. Stepped Cartridge Face: The reload has a cartridge with a stepped design, providing varied staple heights to accommodate different tissue thicknesses.	13000.00

18	GIA- DST DLU STAPLER	60	3.8	COVIDIEN	Reload Cartridge: GIA6038L Staple Length Before Closure: 3.8mm Staple Height Closed: 1.5mm Color Code: Blue Number of Reloads / Total Number of Firings: 7/8 Number of Staples: 64 Staple Cross Section: 0.19 x 0.30mm Rows of Staples: 4 Length of Staple Line: 64mm.	8246.00
19	PERITONEO VENOUS SHUNT-GIS01			SURGIWEAR	Valve pressure: The valve opens at a specific pressure difference (e.g., 3 cm H2O) to allow fluid drainage. Material: Typically made of biocompatible materials like Silastic. Venous access: Can be placed via jugular or subclavian veins.	14236.00
20	PRESSURE MONITORING LINE- MALE-MALE	200cm		HELMIER	Length: 200 cm (2 meters). Connectors: Male luer lock connectors at both ends. Material: Non-toxic medical-grade PVC. Kink Resistance: Yes. Internal Diameter: Varies, but typically around 1.2-1.5 mm.	390.00
21	PROLUS MESH	15cm	20cm	LOTUS	Material: Polypropylene. Construction: Monofilament. Color: Grey. Coating: None. Sterilization: Ethylene Oxide (EtO). Size: 15 x 20 cm. Mesh Weight: 80 g/m2. Mesh Thickness: 0.50 mm. Pore Size: 0.5 x 0.7 mm.	5278.00
22	PROSEC LINEAR CUTTER RELOAD	60MM	3.8MM	LOTUS	Reinforced instrument forks ensure proper staple formation. Brand new knife blade in each cartridge ensure better cutting performance. Rear or center hinge clamping for one-handed positioning. Adjustable firing knob gives surgeons the ability to fire from either side of the instrument. Quick release button for easy unclamping and removal of forks. Safety lock-out prevents accidental pre-firing before clamping, providing enhanced patient safety. Ergonomic rubber inlay grips for comfortable and firm handling of instrument.	5600.00
23	TURP DRAPE			AMARYLLIS	Reinforced Gown 3 Pcs. 128cm*160cm Hand Towel 6 Pcs. 30cm*30cm TURP Drape 1 Pc. 150cm*160cm Trolley Drape with ABS 1 Pc. 160cm*225cm Mayo Cover with ABS 1 Pc. 125cm*80cm C-Arm Cover 1 Pc. Standard Cautery Bag 1 Pc. 30cm*40cm	1130.00

24	CRANIOTOMY DRAPE-35440			AMARYLIS	Disposable / Single Use Yes, Length(cm) 320, Width(cm) 160, Screen width(cm) No, Fenestration 1 No, Adhesive 3 Nos, Absorbent layer No, Reinforced layer Yes, Waste collection pouch No, Cautery bag 2 Nos, Tube Holder 2 Nos, Incise Yes, Leggings No.	800.00
25	TA STAPLER RELOADS	45mm-4.8mm		Medtronic	Staple cartridge: The reload is for a 45mm-long TA stapler. Staple size: 4.8mm staple height. Staple material: Made of titanium. Color: The reload is green, which is the standard color-coding for thick tissue applications. Reloadable: The stapler it is used in can be reloaded up to seven times for a total of eight firings. Staple dimensions Staple length before closure: 4.8mm. Staple leg length closed: 2.0mm. Staple cross-section: 0.24mm x 0.35mm.	4530.00
26	TA STAPLER GUN (TA4548S)			Medtronic	Device type: Single-use, reloadable linear surgical stapler Stapler technology: DST Series™, featuring directional stapling technology for superior staple formation. Purpose: Transection or resection of tissues and the creation of anastomoses. Staple and cartridge details Staple rows: Two staggered rows. Staple material: Titanium. Staple height (unclosed): 4.8 mm, designed for thick tissue. Staple height (closed): 2.0 mm. Staple cross-section: 0.24 x 0.35 mm. Number of staples per cartridge: 15. Cartridge length: 45 mm. Cartridge color: Green, to identify the 4.8 mm staple size.	33844.00
27	EEA-31			Medtronic	Material Titanium (Staples) Size 31 mm Sterility Sterile Shaft Length 22 or 35 cm Shape Circular Color Green Usage Single-Use Handle Type Squeeze Open Height 4.8 mm Staple Technology DST Series Stapler Type Tilt-Top Anvil.	24934.00
28	CHEST DRAINAGE TUBE	16		ROMSON	Intercostal drainage catheter. Distal end is open with super smooth larger eyes to maximize the drainage from the chest. Proximal end is fitted with specially designed tapered tongue. Catheters are marked at every 2cm from the last eye to ascertain the depth of placement. Sterile, double packed in peelable pouch pack.	377.00

29	PROGRAMMABLE V.P SHUNT TUBE			CODMAN	Pressure settings: 18 different opening pressure steps. Pressure range: 30 to 200 mmH <sub>2</sub> O. Adjustment: Adjusted with an externally applied, codified magnetic field. Configurations: Available in multiple configurations, including cylindrical, micro, and various options with a SiphonGuard anti-siphon device or a Rickham reservoir. MRI compatibility: It is considered MR Conditional for scans up to 3 Tesla, but the pressure setting must be verified after an MRI procedure, as strong magnetic fields may change the setting.	82000.00
30	TROCAR CATHETER	24G		ROMSON	Material: Medical-grade PVC for the catheter and stainless steel or aluminum for the trocar. Catheter Design: Large, smooth drainage eyes for efficient fluid and air drainage. Smooth, taper-shaped tip to facilitate gentle insertion. Radiopaque line. Depth markings (e.g., 5, 10, 15, 20 cm) for accurate penetration. Trocar: Integrated with the catheter for stability and designed with a flat handle for easy maneuverability.	1530.00
		28G		ROMSON	Connector: A universal, tapered connector at the proximal end for secure attachment to drainage bottles or bags.	1530.00
31	LOADING UNIT WITH DST SERIES	80mm-3.8mm		COVIDIEN	Type: Single-use loading unit (SULU) or reload. Technology: DST Series™ Technology. Stapler Type: Designed for use with GIA™ (linear-cutting stapler) or TA™ (linear stapler for tissue) staplers. Staple Material: Titanium. Staple Formation: Places two double staggered rows of titanium staples to precisely staple and divide tissue. Closed Staple Size: 1.5 mm for GIA reloads.	8713.00
		60mm-4.8mm				7026.00
32	NEUROSURGERY PATTIES	20X50MM		SURGIWEAR	Material: Viscose Non-Woven Fabric Key Feature: Radiopaque (X-ray opaque) line for clear visibility on X-rays Handling: Each patty has an attached black thread for easy retrieval and identification.	119.00

## INFUSION THERAPY

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	BARDPORT-9.6F			Bard Access Systems Inc.	Intermediate Kit M.R.I. Implantable Port Pre-Attached Hickman Radiopaque Silicone Single-Lumen Catheter, 9.6F, 75cm Effective Length Guidewire, J-Tip (3mm Radius) with Straightener, 0.038" x 50cm Introducer Needle, 18G x 70mm.	22839.00
2	DISPOSABLE SYRINGE- 0.5ml(HMD)	0.5ML		HIDUSTAN SYRINGES&MEDICAL DEVICES	Components: BARRELS & PLUNGERS : made of non-toxic, medical-grade polypropylene compatible with any medication. The nozzle of the barrel is of two types - luer mount and luer lock. Both have a 6% luer taper as per ISO:594. GASKETS : made of natural rubber which is chemically inert and compatible with any medication. LUER LOCK nozzle present in UNOLOK syringes ensures a secure needle fitment. PACKING : DISPO VAN and UNOLOK single use syringes are individually Ribbon packed in a double-laminated plastic film. Ribbon packaging is superior to blister packaging due to higher puncture and water resistance, enabling extended shelf-life under adverse conditions. But for better container loadability we are also making transparent thermoformed peel able Blister pack. PRECAUTIONS : Before use, check the integrity of the sealing of the pack.	11.50
3	HUBER INFUSION SET	20G		POLYMED	Huber needle: This non-coring needle has a beveled tip designed to minimize tissue damage and pain upon insertion and removal. The gauge indicates the needle's diameter, with a smaller gauge number representing a larger diameter. Securement device: This helps to fix the needle in place, preventing accidental dislodgement. Tubing: Flexible tubing connects the needle to an IV bag or infusion pump, allowing for the controlled administration of fluids or medications. Y-site (optional): Some Huber infusion sets include a Y-site, which allows for additional injections or infusions without needing to remove the main infusion set. Port/Septum: The Huber needle is inserted into a port or septum, which is a rubber-like component implanted under the skin, providing access to the bloodstream or subcutaneous tissue.	799.00
		22G				799.00

4	HUBER NEEDLE	22G	25mm	POLYMED	<p>90° (Curved) vs. Straight: Available in straight configurations or with a fixed 90-degree curve.</p> <p>Winged: Some models have attached wings for secure fixation to the skin and port.</p> <p>Y-Site: Many sets include a Y-injection port for connecting secondary lines or for other access.</p> <p>Material: Made from high-quality stainless steel for the needle and tubing, with PP and ABS used in other components.</p>	786.00
5	EXPECT PULMONARY-SCOPE COMPATIBLE	22size		Olympus	<p>Durability Cobalt chromium needle provides benefits over some stainless steel alloys including greater needle hardness and excellent tensile properties to deliver*:</p> <ul style="list-style-type: none"> <li>• Superior needle penetration*</li> <li>• Improved pushability and kink resistance*</li> <li>• Increased resistance to needle damage or deformation after multiple passes*</li> <li>• Thin wall of needle maximizes inner diameter for improved sample collection</li> </ul> <p>Reliability Sharp needle tip grind is designed for precise penetration into the target area. Testing shows no deterioration in sample quality throughout a procedure.*</p>	19800.00
6	Y EXTENSION TUBE		150CM	BAYER	<p>Material: PVC, stainless steel</p> <p>Length: Standardized lengths are available, such as 150cm or 250cm, with some products offering custom lengths.</p> <p>Diameters (Inner &amp; Outer): Specified in millimeters (e.g., 2.5 x 4.0 mm).</p> <p>Volume: The primary volume (volume of the tube itself) can vary.</p> <p>Connectors: Common connectors include male and female Luer-locks for medical applications, and Tri-clover flanges for industrial uses.</p> <p>Pressure Rating: High-pressure lines for procedures like CT/MRI are rated to withstand significant psi (e.g., 350psi or 800 psi).</p> <p>Y-Connector Design: The "Y" shape allows for simultaneous connection of multiple fluid sources to a single point.</p> <p>Side Port/Injection Site: A feature on some medical extension tubes for injecting medication with a needle, often fitted with a cap.</p> <p>Check Valves: Some tubes include one or two check valves to prevent backflow, particularly for use in CT/MRI procedures.</p> <p>Sterilization: For medical use, tubes are typically sterilized and non-pyrogenic.</p>	660.00

## SUTURES

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	TRULENE-1- SN843(RB)		70cm	SUTURES INDIA	70cm 1/2 Circle Round Body Heavy Monofilament Polydioxanone Non Absorbable Suture.	310.00
2	PDS II-4-0-NW9304(RB)		70cm	ETHICON	Needle Length: 20mm Suture Length: 70 cm Needle Description: 20mm, 1/2 Circle Round Body SH-2 Needle.	758.00
3	VICRYL PLUS-0-VP-2546	Needle Length:40mm	Suture Length:70cm	ETHICON	Needle Length: 40mm - Suture Length: 70cm - Colour: Violet - Suture Type: Synthetic Braided - Absorption Profile: Absorbable : 56 - 70 Days (Average 63 Days) - Suture Diameter: USP 0 - Suture Material: Polyglactin 910 - Needle Description: 40mm, 1/2 Circle Round Body Needle - Coating: IRGACARE MP - Triclosan (Anti bacterial) - Tensile Strength: 75% retention at 14 days, 50% retention at 21 days, 25% retention at 28 days - The coated Vicryl Plus Suture is indicated for use in general soft tissue approximation and/ or ligation, except for ophthalmic, cardiovascular and neurological tissues.	232.00
4	VICRYL PLUS-3-0-VP-2437(RB)	Needle Length:20mm	Suture Length:70cm	ETHICON	Needle Length: 20mm - Suture Length: 70cm - Colour: Violet - Suture Type: Synthetic Braided - Absorption Profile: Absorbable : 56 - 70 Days (Average 63 Days) - Suture Diameter: USP 3-0 - Suture Material: Polyglactin 910 - Needle Description: 20mm, 1/2 Circle Round Body Needle - Coating: IRGACARE MP - Triclosan (Anti bacterial) - Tensile Strength: 75% retention at 14 days, 50% retention at 21 days, 25% retention at 28 days - The coated Vicryl Plus Suture is indicated for use in general soft tissue approximation and/ or ligation, except for ophthalmic, cardiovascular and neurological tissues.	498.00
5	TRUGUT CHROMIC-0 SN4242	Needle Length: 30mm	Suture Length: 76 cm	Sutures India	Needle Length: Needle Description: 30 mm, 1/2 Circle Round Body Needle - Suture Length: 76cm - Colour: Brown - Suture Type: Natural Monofilament - Absorption Profile: Absorbable: 90 - 120 Days - Suture Diameter: USP 0 - Suture Material: Catgut (Submucosal layer of ovine intestines) - Tensile Strength: 21- 28 Days.	151.00

6	V-LOC 180 DEVICE	0	GS-21 45cm	MEDTRONIC	TENSILE STRENGTH: 21 days ABSORPTION PROFILE: 180 days PROCEDURAL APPLICATIONS: Soft tissue approximation where support is required consistent with the absorption profile COLOR: Undyed, green. COMPOSITION: Copolymer of glycolic acid and trimethylene carbonate INDICATIONS: V-Loc™ 90 device and V-Loc™ 180 absorbable wound closure devices are indicated for soft tissue approximation where use of an absorbable suture is appropriate.	37716.00
7	TRUGUT CHROMIC	3-0 SN4237		SUTURES INDIA	Suture Type: Natural Monofilament Absorption Profile: Absorbable: 90 - 120 Days Suture Diameter: USP 3-0 Suture Material: Catgut (Submucosal layer of ovine intestines) Needle Description: 20 mm, 1/2 Circle Round Body Needle  Suture Length: 76 cm, Colour: Brown	1753.00
8	TRUGUT CHROMIC	2-0 SN4241		SUTURES INDIA	Colour: Brown Suture Type: Natural Monofilament Absorption Profile: Absorbable: 90 - 120 Days Suture Diameter: USP 2-0 Suture Material: Catgut (Submucosal layer of ovine intestines) Tensile Strength: 21- 28 Days Needle Length: 30mm Suture Length: 76 cm Needle Description: 30 mm, 1/2 Circle Round Body Needle.	1975.00
9	TRUGUT CHROMIC	4-0 SN5048		SUTURES INDIA	Needle Length: 16 mm - Suture Length: 76 cm - Colour: Brown - Suture Type: Natural Monofilament - Absorption Profile: Absorbable: 90 - 120 Days - Suture Diameter: USP 4-0 - Suture Material: Catgut (Submucosal layer of ovine intestines) - Needle Description: 16 mm, 3/8 Circle Round Body Needle - Tensile Strength: 21- 28 Days	3532.00
10	AUROLENE-(Polypropylene)	10-0-6002PP		AUROLAB	Advanced Micro Point Spatula AS - 000 - 6 Diameter - 0.15mm Length - 16.0mm Straight Needle	5796.00
11	VICRYL RAPIDE	0-W 9963(TC)		ETHICON SUTURES - J&J	Colour: Undyed Suture Type: Synthetic Braided Absorption Profile: Absorbable : 42 Days Suture Diameter: USP 0 Suture Material: Polyglactin 910 (copolymer of 90% glycolide and 10% L-lactide) Coating: Calcium Stearate Tensile Strength: 50% retention at 5 days, 0% retention at 10 days Needle Length: 36mm Suture Length: 90 cm Needle Description: 36mm, 1/2 Circle Tapercut V-34 Needle.	8376.00

12	CENTIBOND-2-0 LC 6977 PL6	26 mm	90 cm	CENTENIAL	Silicone Coated available in Green and White colour for better visibility in wound. Braided for excellent handling, exceptional suppleness, superior strength and good knot security . Superior coating provides smooth passage through tissue. Knots slide into place without chatter and fraying. Excellent tensile strength reduces breakage. CENTIBOND™ is inert and elicits virtually no tissue reaction. CENTIBOND™ is available in USP sizes 6-0 to 5 on various atraumatic needles and suture combinations.	12000.00
13	CENTIBOND-2-0 LC 6987 PL6	26 mm	90 cm	CENTENIAL	<b>Features:</b> Silicone Coated available in Green and White colour for better visibility in wound. Braided for excellent handling, exceptional suppleness, superior strength and good knot security . Superior coating provides smooth passage through tissue Knots slide into place without chatter and fraying. Excellent tensile strength reduces breakage. CENTIBOND™ is inert and elicits virtually no tissue reaction. CENTIBOND™ is available in USP sizes 6-0 to 5 on various atraumatic needles and suture combinations.	12000.00
14	CENTIPACE C FEP		60cm 0.3mm 63m	CENTENIAL	cFEP 15 Straight Cutting Edge, Breakaway Needle 26mm Cut Taper Needle Double Armed	34560.00
15	CENTSTEEL(6) CM 654G			CENTENIAL	SUPERIOR NEEDLE POINT •Complete line of drilled end needles. •Needles are drilled for a smooth needle suture attachment, providing an easier transition with less tissue disruption. •Made of advanced stainless steel alloy for sharper point and increased durability. •Finer taper ratio for excellent penetration. •Holds edge longer, pass after pass. •Uniform colour coding, easy code conversions. •Unopened primary package can be returned to storage if not immediately needed.	33888.00
16	MASS-3-0-LNW 9237(RB)	½ Circle, 20 mm Dou	70 cm	LOTUS	Composition: Poly(P-dioxanone) Construction: Monofilament Coating: None In vitro retention of strength: Approximately 60% at 2 weeks Tissue Reaction: Non-antigenic, non-pyrogenic and elicits only a mild tissue reaction during the absorption process	8460.00
17	MASS-3-0-LNW 9332(RB)	½ Circle, 30 mm	70 cm	LOTUS	Absorption Time: Absorption essentially completed between 180 to 210 days Sterilization: 100% Ethylene Oxide Colour: Violet and Undyed.	9144.00

18	PROLENE-3-0-NW825(ROUND BODY)	25mm, 1/2 Circle Round Body Needle	Needle Length: 25mm Suture Length: 90 cm	ETHICON	Colour: Blue Suture Type: Synthetic Monofilament Absorption Profile: Non Absorbable Suture Diameter: USP 3-0 Suture Material: Polypropylene Tensile Strength: Indefinite Breaking Strength Retention.	5448.00
19	MERSILK-5-0-NW5081(RB)	3/8 Circle Round Body	Needle Length: 16mm Suture Length: 76 cm	ETHICON	Colour: Black Suture Type: Natural Braided Absorption Profile: Non Absorbable Suture Diameter: USP 5-0 Suture Material: Filaments of Silk Fibre from the Cocoon of the silk worm Bombyx Mori Needle Description: 16mm, 3/8 Circle Round Body Needle Coating: Beeswax Coating Tensile Strength: Prolonged retention for 3 months.	2280.00
20	SOLUS-2-0-LNW 2317-910(RB)	1/2 Circle Round Bodied.	Needle Length: 30mm Suture Length: 45 cm.	LOTUS	Poly(Glycolide-co-L-lactide) Construction Braided Coating Poly(Glycolide-co-L-lactide) [Glacomer 37] and Calcium Stearate In vitro retention of strength 81% at 2 weeks Tissue Reaction Non-antigenic, non-pyrogenic and elicits only a mild tissue reaction during the absorption process. Absorption Time Completely absorbed in 54-70 days Sterilization 100% Ethylene Oxide Available in Sizes 8-0, 7-0, 6-0, 5-0, 4-0, 3-0, 2-0, 0, 1,2 Colour Violet and Undyed	18545.00
21	CENTIBOND-2-0 LC 6937	Needle 1/2 Circle Taper End Cutting Double Armed.	Needle Length: 17mm Suture Length: 75 cm.	ETHICON	Braided polyester, coated with silicone for a smooth knot tie down High tensile strength for reliability Low tissue reactivity – undergoes no significant change in body Excellent handling and long lasting.	19008.00
22	CENTIBOND-2-0 LC 6917	Needle 1/2 Circle Taper End Cutting Double Armed.	needle length 17.5 mm Suture Length: 90 cm.	ETHICON		17760.00
23	AUROSILK--B6105	6-0	76cm (30 inch) length	AUROLAB	The suture does not dissolve in the body and provides long-term support The silicone coating improves the suture's handling and reduces tissue drag. Black: The black color provides good visibility during surgery. Natural Silk: Made from natural silk filaments.	3060.00
24	PROLUS--PL8977-(TC)	2-0	90 cm	LOTUS	Suture Material: Blue Monofilament Polypropylene USP Size: 2-0 Suture Length: 90 cm Needle Length: 26 mm Needle Profile: 1/2 Circle Taper Cut Double Armed.	713.00

25	POLYPROPYLENE--P8522	3-0		CENTENIAL	Material Polypropylene, a synthetic linear polyolefin and isotactic crystalline stereoisomer Suture type Non-absorbable, sterile, and monofilament Suture size 3-0 Length 36 inches (~90 cm) Color Blue for enhanced visibility during surgery Needle type SH (Small Half) Needle curvature 1/2 circle Needle length 26 mm Needle point Taper point Pledgets (Optional variant P8522H) For the P8522H product, it comes with a firm TFE (Teflon) polymer pledget for additional support.	773.00
26	POLYPROPYLENE--P8521	4-0		CENTENIAL	Material: Polypropylene, a synthetic linear polyolefin. Construction: Monofilament, meaning it is a single-filament thread. Absorbability: Non-absorbable, providing long-term support to the tissue. Size: USP 4-0 , a very thin suture size suitable for delicate work. Color: Dyed blue for easy visibility during surgical procedures. Needle: Typically features a Taper Point needle. Needle Curvature: Commonly a 1/2 circle shape. Needle Length: Varies by manufacturer, but a common length is 26mm. Suture Length: Varies, but 90cm (36 inches) is standard for this size. Sterility: Sterile, typically sterilized by ethylene oxide.	935.00
27	POLYPROPYLENE--P8556	5-0		CENTENIAL	Suture size: 5-0 (0.1 mm diameter). Needle name: C-1. Needle type: Taper point. Needle length: 13 mm. Strand length: 24 inches.	965.00
28	POLYPROPYLENE--P8725T	6-0		CENTENIAL	Material: Polypropylene, a synthetic linear polyolefin Suture size: 6-0 (USP) Construction: Monofilament, meaning it is a single strand Absorption: Non-absorbable, providing long-term tissue support Color: Blue, which enhances visibility against tissue Length: 45 cm (18 inches), with some regional variations Sterilization: Ethylene Oxide (EO) Needle code: P-3 Type: Precision reverse cutting needle Shape: 3/8 circle Length: 13 mm	948.00

29	POLYPROPYLENE--P8703H	7-0		CENTENIAL	Material: Polypropylene, a synthetic linear polyolefin. Suture size: 7-0 (or USP 7-0), an ultra-fine diameter for delicate work. Needle type: Double-armed with a 9.3 mm, 3/8 circle taper point BV-1 Ethalloy needle on each end. Some regional versions may list a single needle. Suture length: 30 inches (75 cm). Color: Blue, to enhance visibility in the surgical field. Absorption profile: Non-absorbable, providing long-term wound support. Tissue reaction: Minimal inflammatory reaction. Tensile strength retention: Indefinite, meaning it retains its strength over time.	1353.00
30	POLYPROPYLENE--SP8741H	8-0		CENTENIAL	Material: The suture is a monofilament strand made from polypropylene, a synthetic, non-absorbable polymer. Suture size: It is a size 8-0, indicating an extremely fine diameter for delicate procedures. Needle type: The suture is attached to two BV175-6 Everpoint Cardiovascular needles. Needle length: Each needle is 8 mm long. Needle shape: The needles are 3/8 circle Taper Point, designed to easily pass through delicate tissue without causing excessive trauma. Needle material: The needles are made from a Tungsten Rhenium alloy, designed for strength and durability. Suture length: The blue monofilament suture is 24 inches (60 cm) long. Color: The suture material is colored blue for better visibility in the surgical field. Sterility: As a surgical device, it is sold as a sterile product	1904.00
31	PROLENE--NW823	6-0		Ethicon (Johnson & Johnson)	Suture material: The suture is made from polypropylene, a synthetic linear polyolefin. Absorption profile: non-absorbable, sterile surgical suture Construction: The suture has a monofilament structure, which gives it a smooth surface that passes easily through tissue and resists bacterial growth. Color: It is dyed blue to enhance its visibility during surgical procedures. Tensile strength: Retains strength indefinitely. Tissue reaction: Being a synthetic monofilament, it elicits only a minimal reaction in tissue. Suture and needle details Item code: NW823. Suture size: USP 6-0, which is a very fine-diameter thread. Suture length: 70 cm. Needle description: 3/8 circle, PC-3 (Precision Cosmetic) cutting needle. Needle length: 16mm. Needle point: A cutting needle with three cutting edges, designed for precise cosmetic procedures.	662.00

32	AUROSILK--B6106	6-0		Aurolab	<p>Composition: Natural silk filaments, spun from silkworm larval cocoons.</p> <p>Absorbability: Non-absorbable, meaning it is not designed to break down in the body. While classified as non-absorbable, it may behave like a very slowly absorbing suture, as it can be undetectable in tissue after two years.</p> <p>Structure: Braided multifilament on a twisted cone, which provides excellent handling qualities and high tensile strength.</p> <p>Coating: Coated with silicone for smooth tissue passage.</p> <p>Color: Black to enhance visibility during surgery.</p> <p>Performance: The silk loses tensile strength when exposed to moisture and should be used dry. It is known for its superior handling characteristics, excellent knot security, and knot run-down.</p> <p>Needle specifications</p> <p>According to product catalogs, the B6106 model is associated with a specific needle configuration for ophthalmic procedures.</p> <p>Needle Description: 3/8 circle, 140° advanced micro-point spatula.</p> <p>Needle Length: 6.0 mm.</p> <p>Needle Diameter: 0.230 mm.</p> <p>Standard packaging</p> <p>Suture Size: USP 6-0.</p> <p>Suture Length: 76 cm (30 inches)</p>	255.00
33	POLYCRYL--A6108	6-0		Aurolab	<p>Suture size: USP 6-0.</p> <p>Needle description: Advanced side-cutting spatula needle.</p> <p>Diameter: 0.33 mm.</p> <p>Length: 8.0 mm.</p> <p>Curvature: 1/4 circle (90°).</p> <p>Suture length: 45 cm (18 inches)</p>	526.00
34	TRULON SN--3336	2-0		Healthium Medtech	<p>USP size: 2-0 (3 metric).</p> <p>Suture length: 70 cm.</p> <p>Needle specifications:</p> <p>Needle size: 45 mm.</p> <p>Curvature: 3/8 circle.</p> <p>Point type: Reverse cutting</p>	236.00

35	POLYCRYL--A8104	8-0		Aurolab	Material: Polyglycolic Acid (PGA), a synthetic absorbable material that degrades by hydrolysis. Structure: Braided multifilament. Size: USP 8-0. Color: Violet, dyed with D&C Violet No. 2. Length: 30 cm (12 inches). Coating: A mixture of polycaprolactone and calcium stearate, which minimizes friction and prevents tissue drag during surgery. Absorption profile: Mass absorption: Degradation occurs in 60 to 90 days. Tensile strength retention: Approximately 65–75% of original strength at 14 days. Approximately 35–60% of original strength at 21 days. Needle specifications The code A8104 corresponds to a specific needle designed for intricate ophthalmic work. Needle type: Advanced Micro Point Spatula. Length: 6.0 mm. Diameter: 0.200 mm. Curvature: 3/8 circle, 140°.	569.00
----	-----------------	-----	--	---------	---	--------

## UROLOGY

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	DOUBLE J STENT SIZE- 3frX12cm(ONE END CLOSED)	3fr	12cm	INDOVASIVE	Double J Stent placed inside the ureter during surgery to ensure drainage of urine from the kidney into the bladder. J shaped curls are present at both ends to hold the tube in place and prevent migration, so it is called as "Double J stent".	810.00
2	DOUBLE J STENT	4.5fr	26cm	BIORAD	A thin, flexible, hollow plastic tube placed temporarily in the ureter to ensure urine drainage from the kidney to the bladder.	450.00
		3.5fr	14cm			

## WOUND DRESSING

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	BACTIGRAS- 15CMX1M(CHLORHEXIDINE GAUZE)	15cm	1M	SMITH & NEPHEW	Chlorhexidine Gauze Dressing is a sterile medicated Tulle-Gras dressing composed of Leno Weave Gauze, White Soft Paraffin and Chlorhexidine Acetate 0.5%.	209.00

2	STERISTRIP	6mm	100mm	3M HEALTH CARE	The original skin closure strip with microporous non-woven material designed to let the skin 'breathe' and reinforced filaments for added strength. Features: A pressure sensitive hypoallergenic adhesive. Superior cosmetic results compared to suturing, eliminating scarring due to cross-hatching. Lower rate of infection and over-all morbidity when compared to sutures and/or staples. Fast application. Comfortable to wear. Hypoallergenic and reduces likelihood of skin irritation. Sterile.	175.00
			75mm	3M HEALTH CARE		112.00
3	AMCRYLATE	0.25ml		CONCORD DRUGS LTD	SKIN ADHESIVE	500.00
4	G-DRESS SWIM PROOF DRESSING	20cm	10.5cm	SURGIWEAR	Non-stick wound pad, 1% pp base, Non woven pad, with polymer mesh, swimproof. Laminated with polymer mesh.	450.00
5	UNIPORE PLASTER	1"	2.5CM	Dynamic Techno Medical Private Limited	It is made from hypoallergenic, non-woven, water-repellent material and is 100% latex-free. It is lightweight and comfortable to wear and can be torn by hand. The acrylic adhesive leaves no residue on the skin after being removed.	810.00

## MISCELLANEOUS

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	SPECIFICATION	MRP
1	BLEACH	BLEACH-5ltr		ASTHRA SURGICALS	0% Water Dilution 12% Pure Sodium Hypochloride.	100.00
2	ISOFLURANE IP SAMARTH	IFLURANE-250ML		SAMARTH LIFE SCIENCES PVT LTD	Inhalation is a general anesthetic.	2749.92
3	BACCIRUB -500ml SOLUTION	Chlorhexidine gluconate solution I.P. 2.5% v/v (Equivalent to Chlorhexidine gluconate 0.5% w/v) Ethyl alcohol I.P. 70% v/v		RAMAN & WEIL PVT. LTD	Usage/Application: Hand disinfectant Alcohol Content: 71 - 80% Type of Alcohol Ethyl Alcohol.	683.00
4	MAMYPOKO DIAPER	XL(JUMBO PACK)-52'S		UNICHARM INDIA PVT. LTD.,	MamyPoko Pants Extra Absorb Diaper comes with new Widespread Crisscross Sheet with 50% extra absorption area on sides. It absorbs urine quickly and repeatedly for upto 12 hours. It prevents leakage without heaviness which gives the baby and the mother a peaceful sleep all-night long Its Stretchable Thigh Support thigh gaps and redness An ideal diaper for a good night's sleep.	999.00
	MAMYPOKO DIAPER	XL				399.00

5	DIAPPER	LARGE		ROMSONS	Provides Leakage Protection for up to 8-10 Hours. Super Absorbent Core Locks Moisture quickly, leaving the wearer dry and comfortable for hours. Leak Guard with Barrier Leg-Cuffs provides better urine and fecal containment. PE Back Sheet ensures cloth-like comfort. Wetness Indicator indicates the need for a diaper change. Sizes Available: M - 28 to 45 inches (711-1143 mm). L - 38 to 54 inches (965-1371 mm). XL - 48 to 57 inches (1219-1447 mm).	585.00
6	BARD MISSION BIOPSY INSTRUMENT	18G	16CM	BD	Sharp Outer Cannula is Designed to Deliver Consistent Core Samples Advanced Echogenic Technology Offers Excellent Ultrasound Visibility of the Needle Compatible with Truguide Disposable Coaxial Biopsy Needle Permits Sampling from A Single Insertion Point.	3550.00
7	BARD CO-AXIAL NEEDLE	15G		BD	Lightweight with ultra-thin wall construction Designed to provide a clear path to work through when performing multiple biopsies in the same area Color-coded depth stops conveniently match the recommended Bard Biopsy Needle Sized just one gauge larger than corresponding Bard Core Tissue Biopsy Needles Compatible with Bard Biopsy Instruments for efficiency and accuracy.	1625.00
8	DYNAPORE PLASTER-1"-2.5CM			3M HEALTH CARE	Gentle adhesion Conformable and highly breathable Reliably secures dressings and devices to skin Hypoallergenic and not made with natural rubber latex Economical single use rolls Paper, hypoallergenic tape A hypoallergenic paper tape that is gentle to the skin yet adheres well and leaves minimal adhesive residue upon removal. An economical, general purpose, breathable surgical tape. Not made with natural rubber latex. Available in white or tan.	1150.00
9	MONOPTY INSTRUMENT(211816)	18G	15MM	BD	Ease of single use combined with the security that comes with a BD product Penetration depths of 11mm or 22mm offer you maximum procedural versatility Lightweight handle provides you greater handling and control Color coding promotes accurate needle gauge identification Compatibility with TruGuide™ Coaxial Biopsy Needle enhances efficiency and accuracy.	3240.00

10	ANGIO PACK			ADVIN HEALTH CARE	Reinforced Surgical Gown Size: XL QTY: 2 Material: SMS+SPP Femoral Arthroscopy Darpe Size: 220×320cm QTY: 1 Material: SMS+Absorbent area Mayo Stand Cover Size: 145×75cm QTY: 1 Material: PE+Hydrophilic PP Back Table Cover Size: 140×190cm QTY: 1 Material: PE+SMS Hand Towel Size: 30×40cm QTY: 4 Material: Wood pulp.	1000.00
11	COTTON BUDS-100STICKS				Soft, white, and odorless, free of maculas, stains, and foreign objects.	55.00
12	SPUTUM CUP-PLASTIC				Sputum Cups are manufactured with polypropylene grade plastic.	90.00
13	STERILE WATER FOR INJECTION	500ML		ACULIFE	no bacteriostat, antimicrobial agent or added buffer and is supplied only in single dose containers to dilute or dissolve drugs for injection. For IV injection, add sufficient amount to a solute to make an approximately isotonic solution. pH 5.0 to 7.0.	57.32
14	PENLANCET NEEDLE	0.4 mm		ROCHE	The needle heads are protected by a cover to ensure proper hygiene and avoid the risk of infections. You just need to twist the cap and pull it out before inserting the lancet needle into the pen while testing.	4.25
15	DISPOSABLE LANCET(ACCU-CHEK)	28G		ROCHE	Penetration depth : 1.5mm Pain Free testing Gauze : 28G (0.36mm) Single Use only Simple, 2-step lancing 1. Twist the sterility cap one quarter turn and remove it. 2. Hold the lancing device between your index finger, middle finger, and thumb. Press the lancing device firmly against the chosen puncture site. Using your thumb, press the release.	11.00
16	SURE TAG ADULT-BLUE (HEALTEC)	BLUE		HEALTEC	Wrist band tag.	10.00
	SURE TAG ADULT-GREEN (HEALTEC)	GREEN				10.00
17	NON-STERILE SURGICAL GLOVES SIZE-8.0	8.00		SURGICARE	Latex Premium nature, powder-free fully textured.	16.00
18	MASK N95-3M-9504	24 x 1 x 8 cm		3M	P2 Class Filtering efficiency ranging 94% when tested against 03-micron sodium chloride particle Can be folded when not in use & slipped easily into the pocket Applicable for Light welding, soldering, Foundry operations, Infectious aerosols, Diesel particulate material.	45.00

19	NIV MASK-MEDIUM	Medium		STARMED	Silicone & Plastic Material Adopting to Different Faces Leak Proof-Almost No Air Leakage	3500.00
	NIV MASK-LARGE	Large		STARMED	Wearing-Easy to wear with Head-Gear Cleaning-Easy to Clean in Warm Soap-Suds.	3500.00
20	GOOGLES			SAFETY SPECTACLES	<p><b>360° EYE PROTECTION:</b> Oriley safety eyeglass is a protective eye shield to protect eyes from chemical, splash, saliva, dust, pollen, etc. to give your eyes better protection at home or medical field.</p> <p><b>WIDE FIELD OF VISION:</b> Owing to the panoramic design, the entire field of vision is always in view while your eyes are protected from all sides along with a pleasant wearing feel &amp; perfect fit.</p> <p><b>ADJUSTABLE ELASTIC BAND:</b> It has an adjustable head belt design to facilitate effortless wearing around the head circumference &amp; completely seal-off your face from the outside environment.</p> <p><b>MADE TO LAST LONGER:</b> Made from clear polycarbonate polymer, it resists shattering apart from enhanced protection against splash, fog, chemicals and temperature variation i various application areas.</p> <p><b>HUMANIZED PROTECTIVE GLASSES:</b> Our offered eyeglass perfectly fits over prescription glasses for effortless working in environments such as Hospitals, Lab, Woodworking, Construction, and more.</p>	100.00
21	PPE KIT STERILE			SURGEONS MICRO BARRIER	<p><b>PROTECTIVE COVERALL /SUIT</b> Wear from head to ankle Put on zipper and zipper cover Cover head completely Put on booties and cover it over suit at ankle.</p> <p><b>RESPIRATOR/MASK</b> Secure elastic bands at middle of head and neck Fit flexible nose clip to nose bridge Ensure no leak/ opening on cheek and chin fit of respirator.</p> <p><b>SAFETY EYE WEAR</b> Put on goggles over the head and adjust to fit comfort between respirator and goggles at nose.</p> <p><b>FACESHIELD</b> Put on faceshield and adjust to accommodate goggles.</p> <p><b>GLOVES</b></p>	720.00

22	EASY GLIDE			WIZCURE MEDICAL DEVICES PVT. LTD.,	With Premium Stainless Steel Edge Blade. In-built comb lift and separate hair with increased length sterile AND individually packed for use in Hospital/Clinic/ICU Spl Design gives perfect for shaving.	35.00
23	DERMA ROLLER -TT SIZE-1mm (TIT)	1mm		LAZHORA MEDICAL COSMETICS	Derma rollers create tiny punctures in the outermost layer of the skin, which can lead to the production of more collagen, the bodily protein that gives skin its firmness, strength, suppleness, and elasticity. Available Sizes: 1mm, 1.5mm, 2mm.	800.00
	DERMA ROLLER -TT SIZE-1.5mm (TIT)	1.5mm				800.00
	DERMA ROLLER -TT SIZE-2mm (TIT)	2mm				800.00
24	DETACHABLE DEROTATION BOOT				Rigid Casing: Provides support and stability to the ankle and foot, maintaining them in a neutral position. Removable Derotation Bar: Arrests rotation of the leg, preventing unwanted movement that could hinder healing or worsen injuries. Double Strapping Mechanism: Allows for customized adjustment of dorsiflexion (upward bending of the foot). Ergonomic Design: Can be used as a night splint for early healing and as a day splint to prevent foot drop. Bilateral Symmetry: Can be used on either the left or right foot. Comfortable Liner: Provides cushioning and grip for enhanced comfort and compliance. Easy to Use and Maintain: Features simple application and removal, often with Velcro straps, and is typically washable. Lightweight: Designed for user comfort and improved compliance with treatment. Indications: Used for rehabilitation after injuries, fractures, sprains, or surgery of the foot, ankle, or lower leg. They can also be used to prevent foot drop, contractures, and to manage conditions like plantar fasciitis.	1900.00
25	ANTI-EMBOLISM STOCKINGS	XL		DYNA	Typically made from nylon and spandex, offering a balance of compression, durability, and comfort. Often have an elastic band at the top to ensure they stay in place. Compression is measured in millimeters of mercury (mmHg). Anti-embolism stockings typically offer compression in the 18-25 mmHg range.	2000.00
26	FINGER COT			DYNA	A small, tubular covering, often made of latex or other flexible materials, designed to protect and support a finger.	165.00
27	GLUCOMETER STRIPS			ON CALL PLUS	Coding Chip: Each strip has a coding chip that ensures accurate results by calibrating the meter, enhancing the reliability of measurements. Carbon Electrodes: These electrodes contribute to the accuracy and reliability of the glucose measurement.	25.00

28	WALKER FOLDING			DYNA	<p>Lightweight Frame: Folding walkers are usually made from aluminum, making them easy to maneuver and transport.</p> <p>Adjustable Height: Many models offer adjustable height settings, allowing users to customize the walker to their specific needs.</p> <p>Folding Mechanism: A simple folding mechanism, often a push-button release, allows the walker to collapse for storage or transport.</p> <p>Stability and Support: The frame provides a stable base of support for individuals with mobility limitations.</p>	2625.00
29	BIOPSY PUNCHES	1.5MM		DERMAINDIA	a diagnostic test where a small, tube-shaped piece of skin and some other tissue underneath are removed using a sharp cutting tool.	200.00
		2.0MM				200.00
		3.0MM				200.00
		4.0MM				200.00
		5.0MM				200.00
30	TRANSPLANT KIT			MERIL	<p>Intended Use Provide appropriate transport and storage environment for swab samples</p> <p>Components Protective protein, antibiotics and buffers</p> <p>Type of Specimen required Human Body.</p>	18500.00

## IMPLANTS

S. NO	ITEM NAME	SIZE	LENGTH	COMPANY NAME	DEPARTMENT	MRP
1	DRUG COATED STENT	2.5	16mm 20mm	MITIGATOR	Cardiothoracic and Vascular Surgery	35834.00
2	DRUG COATED STENT	3	12mm 16mm		Cardiothoracic and Vascular Surgery	8100.00
3	DRUG ELUTING STENT	3.5	24mm		Cardiothoracic and Vascular Surgery	8100.00
4	DRUG ELUTING STENT	2.75	20mm 28mm 32mm 36mm		Cardiothoracic and Vascular Surgery	8100.00
5	DRUG ELUTING STENT	2.5	24mm		Cardiothoracic and Vascular Surgery	40180.00
6	DRUG ELUTING STENT	3	32mm 36mm		Cardiothoracic and Vascular Surgery	40180.00
7	DRUG ELUTING STENT	3.5	28mm 32		Cardiothoracic and Vascular Surgery	40180.00

8	DRUG ELUTING STENT(MITIGATOR)-3.00X24	3mm	24mm	ENVISION SCIENTIFIC PRIVATE LIMITED	Cardiothoracic and Vascular Surgery	31584.00
	DRUG ELUTING STENT(MITIGATOR)-3.00X20	3mm	20mm		Cardiothoracic and Vascular Surgery	32179.00
9	NOSTRUM SIROLIMUS DRUG ELUTING STENT-3.50X20mm	3.50mm	20mm	ENVISION SCIENTIFIC PRIVATE LIMITED	Cardiothoracic and Vascular Surgery	31584.00
10	SECURE PORT VENOUS PLP	8FR		POLYMED	Cardiothoracic and Vascular Surgery	26700.00
11	MONORAIL-EVEROLIMUS ELUTING STENT	20	3.00MM	PROMUS PREMIER	Cardiothoracic and Vascular Surgery	40178.32
		24	2.75MMX3.50MM			
		28	2.50MM			
		32	3.50MM			
		38	2.75MMX3.00MM			
12	MONORAIL-WOLVERINE CORONARY CB	10MM	2.50MMX2.75MMX 3.00MM	BOSTON SCIENTIFIC	Cardiothoracic and Vascular Surgery	64894.00 64990.00
13	MONORAIL-(S)	2.75MM	20MM	EVEROLIMUS	Cardiothoracic and Vascular Surgery	12000.00
14	MONORAIL	2.75MM	24MM	EVEROLIMUS	Cardiothoracic and Vascular Surgery	12000.00
15	SJM EPIC SUPRA HEARTVALVE AORTIC	19		St. JUDE MEDICAL	Cardiothoracic and Vascular Surgery	
16	SJM EPIC HEARTVALVE-MITRAL	27MM		St. JUDE MEDICAL	Cardiothoracic and Vascular Surgery	126825.00
17	SJM ROTATABLE MECHANICAL HEART VALVE- MITRAL	33MM		St. JUDE MEDICAL	Cardiothoracic and Vascular Surgery	61875.00
18	SIROLIMUS ELUTING CORONARY STENT	2.25 Dia 2.50Dia 2.75Dia 3.00Dia 3.25Dia 3.50Dia 4.00Dia 8mm Length 12mmLength 16mmLength 20mmLength 24mmLength 28mmLength 32mmLength 36mmLength	16mm  16mm,19mm	ENVISION SCIENTIFIC PVT. LTD.,	Cardiothoracic and Vascular Surgery	21000.00

19	SIROLIMUS ELUTING CORONARY STENT	2.25 2.50  2.75 3.00	16mm  16mmX19mm 24mmX29mmX 32mmX37mmX 40mmX48mm.  16mmX19mmX 37mm	MERIL	Cardiothoracic and Vascular Surgery	20000.00
20	SIROLIMUS ELUTING CORONARY STENT	3	50mm	TERUMA	Cardiothoracic and Vascular Surgery	40178.00
21	SIROLIMUS ELUTING CORONARY STENT	2.5	33mm, 38mm	TERUMA	Cardiothoracic and Vascular Surgery	23625.00
22	SIROLIMUS ELUTING CORONARY STENT	2.75	38mm			
23	SIROLIMUS ELUTING CORONARY STENT	3.5	24mm, 33mm			
24	SIROLIMUS STENT	2.75X12MM		ENVISION SCIENTIFIC PVT. LTD.,	Cardiothoracic and Vascular Surgery	40178.00
25	SIROLIMUS STENT	2.50X 12MM X 28MM				
26	SIROLIMUS STENT	3.00 X 16MM				
27	SHUNT 31125 ARTERIOTOMY	1.25MM-5PK-15LA		MEDITRONIC	Cardiothoracic and Vascular Surgery	4608.00
28	SHUNT 31150 ARTERIOTOMY	1.50MM-5PK-15LA				
29	SHUNT 31175 ARTERIOTOMY	1.75MM-5PK-15LA				
30	SHUNT 31200 ARTERIOTOMY	2.00MM-5PK-15LA				
31	SHUNT 31225 ARTERIOTOMY	2.25MM-5PK-15LA				
32	SHUNT 31250 ARTERIOTOMY	2.50MM-5PK-15LA				
33	TTK HEART VALVE-MITRAL	31MM		TTK HEALTH CARE	Cardiothoracic and Vascular Surgery	65000.00
34	TTK HEART VALVE-MITRAL	27MM				
35	TTK HEART VALVE-AORTIC	19MM				
36	MITRAL VALVE	27MM		MILTONIA	Cardiothoracic and Vascular Surgery	85000.00

37	MITRAL VALVE	25MM				150000.00
38	MITRAL VALVE	25MM		FLOMERO	Cardiothoracic and Vascular Surgery	85000.00
39	XIENCE PRIME	2.5	15/23/28/33/38	ABBOTT	Cardiothoracic and Vascular Surgery	24999.00
40	XIENCE PRIME	2.75	15/18/23/38			
41	XIENCE PRIME	3.00	15/23/28/33			
42	XIENCE PRIME	3.50	23/28/33/38			
43	CORCYM CARBOMEDICS OPTIFORM MITRAL VALVE	31		CARBOMEDICS	Cardiothoracic and Vascular Surgery	92000.00
44	DRUG COATED STENT	2.75	16MM	ENVISION SCIENTIFIC PVT. LTD.,	Cardiothoracic and Vascular Surgery	40180.00
45	DRUG COATED STENT	2.75	28MM			40180.00
46	NOSTRUM SIROLIMUS DRUG ELUTING STENT	3	36MM	ENVISION SCIENTIFIC PVT. LTD.,	Cardiothoracic and Vascular Surgery	35584.00
47	NOSTRUM SIROLIMUS DRUG ELUTING STENT	2.5	36MM		Cardiothoracic and Vascular Surgery	
48	SJM EPIC HEARTVALVE- MITRAL	25MM		St. JUDE MEDICAL	Cardiothoracic and Vascular Surgery	126825.00
49	SJM ROTATABLE MECHANICAL HEART VALVE - AORTIC	23mm			Cardiothoracic and Vascular Surgery	66000.00
50	SJM EPIC SUPRA HEARTVALVE - AORTIC	21MM			Cardiothoracic and Vascular Surgery	149465.00
51	SJM TAILOR ANNULOPLASTY RING	33MM			Cardiothoracic and Vascular Surgery	13070.00
52	SJM RIGID SADDLE RING	32MM			Cardiothoracic and Vascular Surgery	49500.00
53	CORCYM CARBOMEDICS OPTIFORM MITRAL VALVE	29		CARBOMEDICS	Cardiothoracic and Vascular Surgery	92000.00
54	CORCYM CARBOMEDICS REDUCED AORTIC VALVE	25			Cardiothoracic and Vascular Surgery	86000.00
55	TTK HEART VALVE- MITRAL	29MM		TTK HEALTH CARE	Cardiothoracic and Vascular Surgery	65000.00
56	TTK HEART VALVE- AORTIC	23MM			Cardiothoracic and Vascular Surgery	
57	CORCYM CARBOMEDICS SU.ANN TOP HAT AORTIC VALVE	21MM		CARBOMEDICS	Cardiothoracic and Vascular Surgery	96800.00
58	CORCYM CARBOMEDICS OPTIFORM MITRAL VALVE	25			Cardiothoracic and Vascular Surgery	86000.00
59	SJM EPIC TISSUE HEARTVALVE- MITRAL	29MM		St. JUDE MEDICAL		115400.00
60	TTK HEART VALVE- AORTIC	25MM		TTK HEALTH CARE		65000.00

61	TTK HEART VALVE-MITRAL	33MM				
62	TTK HEART VALVE-AORTIC	21MM				

63	LIBERTY LENS (IOL)	220L-25.00D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
64	GALAXY LENS (IMPORTED)	26		Ellis Ophthalmic Technologies Inc	Ophthalmology	1500.00
65	INTRAOCULAR LENS(ACRYFOLD)-19.5D	19.5D		APPASAMY ASSOCIATES	Ophthalmology	4500.00
66	INTRAOCULAR LENS(ACRYFOLD)	18.0D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
67	INTRAOCULAR LENS(ACRYFOLD)	18.50D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
68	INTRAOCULAR LENS(ACRYFOLD)	16.50 D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
69	INTRAOCULAR LENS(ACRYFOLD)	16.00D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
70	INTRAOCULAR LENS(ACRYFOLD)	17.00D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
71	INTRAOCULAR LENS(ACRYFOLD)	25.50D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
72	INTRAOCULAR LENS(ACRYFOLD)	26.00D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
73	INTRAOCULAR LENS	12.00D		APPASAMY ASSOCIATES	Ophthalmology	1000.00
74	GALAXY LENS (IMPORTED)	24.00		APPASAMY ASSOCIATES	Ophthalmology	1500.00
75	GALAXY LENS (IMPORTED)	24.5		APPASAMY ASSOCIATES	Ophthalmology	1500.00
76	SWISS LENS SQ	18.0		APPASAMY ASSOCIATES	Ophthalmology	1000.00
77	SWISS LENS SQ	19.0		APPASAMY ASSOCIATES	Ophthalmology	1000.00
78	SWISS LENS SQ	19.5		APPASAMY ASSOCIATES	Ophthalmology	1000.00
79	SWISS LENS SQ	20.0		APPASAMY ASSOCIATES	Ophthalmology	1000.00
80	SWISS LENS SQ	20.50		APPASAMY ASSOCIATES	Ophthalmology	1000.00
81	SWISS LENS SQ	22.0		APPASAMY ASSOCIATES	Ophthalmology	1000.00
82	SWISS LENS SQ	22.5		APPASAMY ASSOCIATES	Ophthalmology	1000.00

83	AUROVUE EV TORIC--HP76AT6	24.00D	6.00mm 12.5mm	AUROLAB	Ophthalmology	20350.00
84	AUROVUE EV TORIC--HP76AT	18.50			Ophthalmology	18505.00
85	PLASTIC IMPLANT	ALL SIZES		ORTHOMAX	Plastic and Reconstructive	

86	DENTAL IMPLANT	ALL SIZES		ORTHOMAX	Dentistry	
87	ORTHO IMPLANT	ALL SIZES		SMIT MEDIMET PVT. LTD.,	Orthopaedics	
88	ORTHO IMPLANT	ALL SIZES		INNOVATIVE ORTHO SURGICALS PVT. LTD.,	Orthopaedics	
89	ORTHO IMPLANT	ALL SIZES		SHARMA SURGICALS	Orthopaedics	
90	ORTHO IMPLANT	ALL SIZES		JOHNSON & JOHNSON PVT. LTD.,	Orthopaedics	
91	ORTHO IMPLANT	ALL SIZES		NEBULA SURGICAL PVT.LTD.,	Orthopaedics	
92	ORTHO IMPLANT	ALL SIZES		JAYON IMPLANTS PVT. LTD.,	Orthopaedics	
93	ORTHO IMPLANT	ALL SIZES		SHAKTHI ORTHOPAEDICS INDUSTRIES PVT. LTD.,	Orthopaedics	
94	ORTHO IMPLANT	ALL SIZES		GENERAL SURGICAL COMPANY PVT. LTD.,	Orthopaedics	
95	ORTHO IMPLANT	ALL SIZES		MERIL HEALTH CARE	Orthopaedics	
96	ORTHO IMPLANT	ALL SIZES		HEALTHIUM MEDTECH LIMITED	Orthopaedics	
97	ORTHO IMPLANT	ALL SIZES		DEPUY SYNTHES	Orthopaedics	
98	ORTHO IMPLANT	ALL SIZES		GENIUS ORTHO PVT. LTD.,	Orthopaedics	
99	ORTHO IMPLANT	ALL SIZES		SIRONIX ARTHROSCOPY SOLUTIONS	Orthopaedics	
100	ORTHO IMPLANT	ALL SIZES		SUBITON QUIRURGICO	Orthopaedics	
101	ORTHO IMPLANT	ALL SIZES		LIFETECH SCIENTIFIC INDIA PVT LTD.,	Orthopaedics	
102	ORTHO IMPLANT	ALL SIZES		MAGNUM PLUS	Orthopaedics	
103	ORTHO IMPLANT	ALL SIZES		TISGNEX	Orthopaedics	









































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































