

# Certificate of Registration

This is to Certify that  
Environmental Management System of

SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL

KALITHEERTHALKUPPAM, MADAGADIPET,  
PUDUCHERRY - 605107, INDIA

has been assessed and found to conform to the requirements of

## ISO 14001:2015

for the following scope :

IMPARTING EDUCATION RESEARCH SERVICES IN (MBBS AND  
MD/MS DEGREES), WASTE MANAGEMENT, WATER  
CONSERVATION AND RECYCLING SYSTEM, GREEN  
ENVIRONMENT, CAMPUS SUSTAINABILITY MAINTENANCE, AND  
RELATED PROCESS AND RESOURCE MANAGEMENT

IAF CODE : 37

Certificate No : 22IEKW99

Initial Registration Date: 20/09/2022

Issuance Date : 20/09/2022

Date of Expiry\* : 19/09/2025

1st Surv. Due : 20/08/2023

2nd Surv. Due : 20/08/2024



**Director**



**AQC MIDDLE EAST LLC**



**ACCREDITED**  
Management Systems  
Certification Body  
MSCB-119

Dr. KAGNE. R.N  
DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
PUDUCHERRY-605107.



Head Office: Office No. 02, Ground Floor, Sharjah Media City, Sharjah, UAE. e-mail: [info@aqcworld.com](mailto:info@aqcworld.com).

Key Location: A-60, Sector - 2, Noida, Uttar Pradesh, 201301, India.

\*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (in case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawal).



# Certificate of Registration

This is to Certify that  
Energy Management System of

SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL

KALITHEERTHALKUPPAM, MADAGADIPET,  
PUDUCHERRY - 605107, INDIA

has been assessed and found to conform to the requirements of

**ISO 50001:2018**

for the following scope :

IMPARTING EDUCATION SERVICES (MBBS AND MD/MS  
DEGREES), POWER AND ENERGY OPTIMIZATION SYSTEM  
PROCESS AND RESOURCE MANAGEMENT

Certificate No : 22IEnKJ96

Initial Registration Date: 20/09/2022

Issuance Date : 20/09/2022

Date of Expiry\* : 19/09/2025

1st Surv. Due : 20/08/2023

2nd Surv. Due : 20/08/2024



**Director**



ACCREDITED  
Management Systems  
Certification Body  
MSCB-119

Dr. KAGNE. R.N  
DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
PUDUCHERRY - 605107, INDIA



**AQC MIDDLE EAST LLC**

Head Office: Office No. 02, Ground Floor, Sharjah Media City, Sharjah, UAE. e-mail: [info@aqcworld.com](mailto:info@aqcworld.com).

Key Location: A-60, Sector - 2, Noida, Uttar Pradesh, 201301, India.

\*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (in case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn).





## Work Order

**Supplier Name & Address :**

**Sri Murugan Agency**

No.68, Perumalpuram, Puliamchalai,,,

VILLIANUR,PUDUCHERRY,

PUDUCHERRY - 605110 Ph.:9791478302

**W.O. No. :** WO1803002

**W.O. Date :** 01/03/2018

**Rev W.O. No. :**

**W.O. Ref. No. :** Your Request Letter Dated on: 18/12/2017.

**P.O. Ref. No. :**

**Kind Attention :** Mr. M. Egambaram

Sir,

**Sub :** SMVMCH - Disposal of Waste in the SMVMCH campus for the period from 01/03/2018 to 28/02/2019- Reg

We are pleased to place our order for the following items to the terms and conditions contained herein.

S.No.	Items Description	UOM	Qty	Rate	Total Amount
1	Disposal of Wastes like Foods, Paper Cups, Plastic bottles, Plastic papers, Plastic Bags, Plastic Cups, Paper Plate, Waste paper,Ect.	Nos	12.00	30,000.00	360,000.0
* Decimal Value Rounded off for Two Digit					<b>Gross Amount (Rs.) :</b> 360,000.0
Rupees in Words : RUPEES THREE LAKHS ONLY					<b>Discount Amount (Rs.) :</b> 60,000.0
					<b>Adl. Amount (Rs.) :</b> 0.0
					<b>CGST Amount (Rs.) :</b> 0.0
					<b>SGST / UGST Amount (Rs.) :</b> 0.0
					<b>IGST Amount (Rs.) :</b> 0.0
					<b>Net Amount (Rs.) :</b> 300,000.0

**Terms and Conditions**

1	Delivery Period	From 01/03/2018 to 28/02/2019
2	Payment	Every month after completion of work. Payment Cheque in the name of M.EGAMBARAM.
3	Name of Work	Disposal of all wastes except Bio medical waste on day by day.
4	Freight charges & Transport charges	Inclusive.
5	Tax	Inclusive of GST.
Note : 6	Unloading and Freight charges	Inclusive of Loading & Unloading Charges.
7	Other Details	Deapartment : Housekeeping.

**TRUE COPY ATTESTED**

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHAL KUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.

For Sri Manakula Vinayagar Medical College and Hospital

Administrative Officer

Chairman

I accept the above all terms and conditions.

Supplier's Signature

Copy to:

General Store Linen.  
Related Departments.  
Purchase Department.

TRUE COPY ATTESTED

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.





# Sri Manakula Vinayagar Medical College and Hospital

Kalitheerthal Kuppam, Puducherry - 605 107. Ph.: 0413 - 2643000. Fax: 0413 - 2643014.

## Work Order

### Supplier Name & Address :

New Dawn Water Engineering

9 & 10/R-40-A-1, T.N.H.B COMPLEX, MOGAPPAIR EAST,  
CHENNAI, CHENNAI,

CHILNADU - 37 Ph.: 091-44-26245359

W.O. No. : WO1405002

W.O. Date : 05/05/2014

W.O. No. :

O. Ref. No. : Your quotation No. NDWE/MVMCH-STP/13-14/032B, dated 14.12.2013

O. Ref. No. : None

Attention : Mr. Suresh Kumar

: Work order for 1000 KLD STP works at SMVMCH campus

are pleased to place our order for the following items to the terms and conditions contained herein.

Items Description	UOM	Qty	Rate	Total Amount
"Activated Carbon Filter MS Vessel of size 2200mm dia x 2000 mm Height with necessary frontal piping with valves, necessary media, etc., with internal painted with epoxy and external painted with zincromate primer.	Nos	1.00	558,000.00	558,000.00

Make: New Dawn

Dish Thickness: 10mm

Shell Thickness: 8mm

Operating pressure: 3.0 Kg/Sq.cm

Valves: Multivalve system

Frontal piping: 150 NB

Valve make: Xtreme / Equivalent

Valve type: Butterfly

Media: Graded Pebbles, Sand & Activated carbon

Iodine Value: 950

Bolt & Nuts: Galvanized

Air Vent: 25 NB

Sampling point: Provided

Pressure Gauge: Waarie / Equivalent"

Air Agitation System

Air agitation system for the collection tank with necessary  
blowers and associated piping from the blower to the tank.

The necessary motor along with the base plate, suction filter,  
suction silencer, coupling, coupling guard, Safety relief valve,  
pressure gauge, pressure indicator, NRV, Pulley for the  
blower, motor, etc.,

Set 1.00 690,000.00 690,000.00

Blower Make: Kay/Equivalent

No of blowers: 1W + 1S

Capacity: 750 Cum/Hr

Type: Twin Lobe

Blower RPM: 1028

Motor Make: Bharat Bijlee/Kirloskar/Equivalent

HP/RPM: 25.0 / 1440" Pressure : 0.4 KG/Sq.cm

TRUE COPY ATTESTED

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHAL KUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.



Items Description	UOM	Qty	Rate	Total Amount
Clarifier Clarifier mechanism of 10.5m dia and 2.5m height with accessories like reduction gear box, motor, drive head, etc.  Make: New Dawn Drive head: Hitech Gear Box: Elecon Motor: Kirloskar/Equivalent HP / RPM: 2 / 2900 Revolution: 3 - 4 RPM Reduction: 70:1 Outlet: 6"	Nos	1.00	677,000.00	677,000.00
"Diffused Aeration System Diffused aeration system for the aeration tank with blowers, membranes and associated piping from the blower to the tank. The necessary motor along with the base plate, suction filter, suction silencer, coupling, coupling guard, safety relief valve, pressure gauge, pressure indicator, NRV, Pulley for the blower, motor, etc.,  Blower Make: Kay / Equivalent No. of Blowers: 1W + 1S Capacity: 1050 Cum/Hr Pressure: 0.6 Kg/Sq.cm Type: Twin Lobe Blower RPM: 1245 Motor Make: Bharat Bijlee / Kirloskar / Equivalent HP / RPM: 40.0 / 1440 Qty of Diffuser: 200 Type of Diffuser: Fine Bubble MOC of diffuser: EPDM FAB Media: 150 Cum(30% of the aeration tank capacity)"	Set	1.00	3,165,000.00	3,165,000.00
"Dis Infection System Disinfection system comprising of electronic dosing pump of capacity 0 - 12 LPH with 3.5 Kg/Sq.cm pressure with necessary dosing tank.  Pump make: Anala / Sandur Tank: New Dawn Dosing Tank capacity: 100 Ltrs MOC of tank: LLDPE"	Nos	1.00	29,000.00	29,000.00
"Filter Feed Pump er feed pump of capacity 50.0 KLH @ 3.5 Kg/Sq.cm of noblock type of CI construction.  HP / RPM: 10.0/2900 Suc x Del: 80 x 65 mm Make: Kirloskar / Equivalent Qty - 1W + 1S (Note- 1W - 1 Working condition, 1S - 1 Spare)	Set	2.00	40,000.00	80,000.00
"Inter connecting piping The necessary interconnecting piping with in the sewage treatment plant shall be of MS & PVC MS Make: Jindal / Equivalent PVC Make: Supreme / Prince / Finolex"	Set	1.00	350,000.00	350,000.00

TRUE COPY ATTESTED

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.



Description	UOM	Qty	Rate	Total Amount
Pressure Sand Filter Stainless Vessel of size 2200mm dia x 2300mm height with necessary frontal piping with valves, necessary media, etc., with internal painted with epoxy and external painted with Zincromate.  Make: New Dawn Dish Thickness: 10mm Shell Thickness: 8mm Operating pressure: 3.0 Kg/Sq.cm Valves: Multivalve system Frontal piping: 150 NB Valve make: Xtreme / Equivalent Valve type: Butterfly Media: Graded Pebbles & Sand Bolt & Nuts: Galvanized Pressure Gauge: Waarie / Equivalent Air Vent: 25 NB Sampling Point: Provided"	Nos	1.00	395,000.00	395,000.00
"Sludge Pump Non - Clog self priming pump of capacity 36 Cum/Hr @ 15 Mtr head of CI construction with necessary base plate, Coupling, Coupling guard & TEFC Motor.  Pump Make: Johnson / Equivalent Suc x Del: 65 x 65mm Type: Coupled HP / RPM: 5.0 / 2900 Motor Make: Kirloskar " Qty - 1W + 1S (Note- 1W - 1 Working condition, 1S - 1 Spare)	Set	2.00	35,000.00	70,000.00
"Transfer Pump Non-Clog self priming pump of capacity 57 Cum/Hr @ 15 Mtr head of CI construction with necessary base plate, coupling, Coupling guard & TEFC Motor.  Pump make: Johnson / Equivalent Suc x Del: 80 x 80mm Type: Coupled HP / RPM: 7.5 / 2900 Motor Make: Bharat Bijlee / Kirloskar / Equivalent Qty - 1W + 1S (Note- 1W - 1 Working condition, 1S - 1 Spare)	Set	2.00	43,000.00	86,000.00

TRUE COPY ATTESTED

DEAN  
SRI MANAKUL VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.



Items Description	UOM	Qty	Rate	Total Amount
Normal Value Rounded off for Two Digit			Gross Amount (Rs.) :	6,100,000.00 ✓
pees in Words : RUPEES FIFTY-SIX LAKHS FORTY-TWO THOUSAND FIVE HUNDRED ONLY			Discount Amount (Rs.) :	457,500.00 ✓
			VAT Amount (Rs.) :	0.00
			Adl. Amount (Rs.) :	0.00
			Net Amount (Rs.) :	5,642,500.00 ✓

#### Terms and Conditions

- 1 Tax As applicable at the time of dispatch ✓
- 2 Packing and Insurance Inclusive ✓
- 3 Unloading and Freight charges Contractor scope ✓
- 4 Payment 40% Advance payment, 50% against inspection of material at your factory, balance 10% after erection and commissioning of the materials at site. ✓
- 5 Guarantee Your equipment is guaranteed for good performance and against defective materials and workmanship for a period of 18 months from the date of supply or 12 months from the date of commissioning which ever earlier. ✓
- 6 Other Details
  1. Details enclosed - Annexure - 1 ✓
  2. Any dispute will lie only with in the Jurisdiction of Pondicherry court. ✓
- Delivery Period The entire supply will be completed within 12 - 14 weeks subjected to site are given to us within one week time from the date of request and approval of our fabrication drawings. ✓
- 8 Discount 7.5% inclusive ✓

For **Sri Manakula Vinayagar Medical College and Hospital**

Administrative Officer

Chairman

Accept the above all terms and conditions.

Supplier's Signature

Copy to:

Civil Store.  
Related Departments.  
Purchase Department.

TRUE COPY ATTESTED

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.



*WOLD STP 20HP Pump(B) Running Date 10/02/2018*

TAX INVOICE



# Ohm Modern Electricals



Authorised Service Centre for KIRLOSKAR BROTHERS LTD.,  
(Re-winding of AC/DC Motors)

543, Kamaraj Salai, Sathya Nagar, Puducherry - 605 013.

GST No. : 34GBMPK8133B1ZQ

PAN : GBMPK8133B

Mobile : 9790019969 / 9629192422

E-Mail : ohmmmodern.py@gmail.com

To : Sri Manakula Vinayagar Medical  
College and Hospital  
Puducherry - 107.

Invoice No. : 296  
Date : 2.2.18  
Yr. Gate Pass No. : 1891  
Date : 12.12.2018  
Yr. Work Order No. :  
Date :

GST No. : 34AAATM9599A12E

Sl. No.	Description	SAC/HSN	Qty.	Rate	Tax %	Amount
	SP-3A					
1.	Pump service	9987	1	1600	18	1600.00
2.	Shaft gheat	7412	1	1400	18	1400.00
3.	Bearing 6307mm	8482	2	480	18	960.00
4.	Bearing 6306mm	"	1	400	18	400.00
5.	Casing gheat	9987	1	900	18	900.00
6.	Culand	8413	1	550	18	550.00
7.	Low net	7318	2	80	18	160.00
8.	Seal	4006	2	180	18	360.00
9.	Shaft machinery	9987	1	1000	18	1000.00
10.	Packing rope	4006	1	100	18	100.00

(Bill Amount in words *Eight Thousand Seven hundred and seventy only.*)  
(Tax Amount in words *One thousand three hundred and forty only.*)

<b>Total</b>		7430.00
<b>SGST</b>		670.00
<b>IGST / CGST</b>		670.00
<b>Grand Total</b>		8770.00

Taxable Value	IGST		CGST		SGST		Total Tax Amount
	Rate	Amount	Rate	Amount	Rate	Amount	
7430	-	-	9	670	9	670	1340

Customer's Signature

*Pump running in normal condition (from 05.2.18 to till date)*  
*[Signature]*

TRUE COPY ATTESTED

For Ohm Modern Electricals

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.

Authorised Signatory





TAX INVOICE

# Ohm Modern Electricals

Authorised Service Centre for KIRLOSKAR BROTHERS LTD.,  
(Re-winding of AC/DC Motors)

543, Kamaraj Salai, Sathya Nagar, Puducherry - 605 013.



ST No. : 34QBMPK8133B1ZQ

AN : QBMPK8133B

Mobile : 9790019969 / 9629192422

E-Mail : ohmmodern.py@gmail.com

To: Sri Manakula Vinayagar  
Medical College & Hospital  
Puducherry.Invoice No. : 350  
Date : 9.3.19  
Yr. Gate Pass No. : 1892  
Date : 23.1.19  
Yr. Work Order No.: W01903001  
Date : 1.3.19.

ST No. : 34AAATM9599A1ZE

Description	SAC/HSN	Qty.	Rate	Tax %	Amount
Johnson pump	8413	1	750	18	750.00
Roller	9987	1	900	18	900.00
shaft packing wire	7412	1	1100	18	1100.00
Bush	8482	1st	800	18	800.00
Brass 6306	406	1	80	18	80.00
Pay Pipe	"	1	200	18	200.00
Crankshaft	8484	1	200	18	200.00
seal	7318	1	700	18	700.00
Stud, Bolt	7587	1	1750	18	1750.00
Pump up & Sump					

Total Amount in words: Seven thousand six hundred and sixty six  
Amount in words: One thousand one hundred and eighty three

Total	6480.00
SGST	9 583.00
IGST / CGST	9 583.00
Grand Total	7646.00

Taxable Value	IGST		CGST		SGST		Total Tax Amount
	Rate	Amount	Rate	Amount	Rate	Amount	
1580	-	-	9	583	9	583	1166

Former's Signature

Rajatharan  
(IP Supervisor)Pump running normal condition.  
From 05.03.19.

TRUE COPY ATTESTED Ohm Modern Electricals

DEAN  
SRIMANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHAL KUPPAM,  
MAYAGADIPEI, PUDUCHERRY - 605 013.

Authorised Signatory





# Ohm Modern Electricals

Authorised Service Centre for KIRLOSKAR BROTHERS LTD.,  
(Re-winding of AC/DC Motors)

543, Kamaraj Salai, Sathya Nagar, Puducherry - 605 013.  
Cell: 97900 - 19969 e-mail: ohmmodern.py@gmail.com



No. 310

Date 21/01/17

M/s

MVMC & H

No.	Particulars	Qty.	Rate	Rs.	Ps.
1)	Repairing and servicing of SP4LA model including spares as mentioned in our quotation dated 01-01-17 and subsequent of your work order No: W01701009 Dt: 06/01/17  Your Crp No: 1880 /Dt: 15/11/16.	1-		15,000	1-

Rupees	Fifteen thousand only	Total	15,000/-
--------	-----------------------	-------	----------

Received the above Items

TRUE COPY ATTESTED for Ohm Modern Electricals

DEAN  
SRI MANAKUL VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHAL KUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.

*A. Das*  
Authorised Signatory



# TAX INVOICE

**New Dawn Water Engineering,**  
No. 10 / R-40-A-1, T.N.H.B Complex,  
Mugappair East, Chennai - 600 037.  
Phone: 044-26245359  
E-Mail: kesh@newdawnindia.in  
GST: 33AFJPS1357J2Z7

Invoice No.  
**GST/18-19/192**

Dated  
**01.08.2018**

Delivery Note No.

Dated

Supplier's Ref.

Terms of Payment  
**Immediate**

Buyer

**Sri Manakula Vinayagar Medical College And**  
Hospital,  
Kalthietheral Kuppam,  
Puducherry - 605 107.

Buyer's Order No.

**WO1806006**

Dated

**05.06.2018**

Despatch Document No.

Dated

Despatched through

Destination

Terms of Delivery

*17/08/18  
04/8/18*

Sl No.	Description of Goods	HSN/SAC	Quantity	Rate	Per	Amount
1	Service Charges (Replacing Of Oil Seal Including Service Charges For Aeration Tank Blower (89AC)	998717	2	8,500	Set	17,000.00
2	Service Charges (Replacing Of Oil Seal Including Service Charges For Collection Tank Blower (615AC)	998717	2	7,750	Set	15,500.00
						32,500.00
	Discount Amount					2,500.00
	IGST @ 9%					5,400.00
	Total					35,400.00

Amount Chargeable (in words)

INR Thirty Five Thousand Four Hundred only

E & O E

HSN/SAC	Taxable Value	IGST	
		Rate	Amount
998717	30000	18%	5400.00
<b>TOTAL</b>	<b>30000</b>		<b>5400.00</b>

Tax Amount (in words): INR Five Thousand Four Hundred Only.


Company's PAN : AFJPS1357J

Declaration:

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

**TRUE COPY ATTESTED** for New Dawn Water Engineering,

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALTHIETHERAL KUPPAM,  
MUGAPPAPUR, PUDUCHERRY - 605 107




*Work completed and bill verified for collection*



# TAX INVOICE

<b>New Dawn Water Engineering</b> No.9 & 10 / R-40-A-1, T.N.H.B, Complex, Mogappair East, Chennai - 600 037. Phone: 044-26245359 E-Mail : kesh@newdawnindia.in	Invoice No.	Dated
	<b>SAL/04/17-18</b>	<b>10-Apr-2017</b>
	Delivery Note	Mode/Terms of Payment
	<b>05</b>	<b>Immediate</b>
<b>Buyer</b> <b>Sri Manakkula Vinayagar Medical Collage &amp; Hospital</b> Kalitheerthal Kuppam Puduchery - 605107	Supplier's Ref.	Other Reference(s)
	Buyer's Order No.	Dated
	<b>PO1701489</b>	<b>28-Jan-2017</b>
	Despatch Document No.	Dated
	<b>TN02R5712</b>	<b>10-Apr-2017</b>
	Despatched through	Destination
	<b>TN02R5712</b>	
	Terms of Delivery	



SI No.	Description of Goods	Quantity	Rate	per	Amount
1	Media for Activated Carbon Filter	1 lot	98,000.00	lot	98,000.00
2	Media for Pressure Sand Filter	1 lot	72,000.00	lot	72,000.00
	(As Per Delivery Challan)				
					1,70,000.00
	CST @14.5%		14.50 %		24,650.00
	Total	2 lot			₹ 1,94,650.00

Amount Chargeable (in words)

INR One Lakh Ninety Four Thousand Six Hundred Fifty Only

E. & O.E

Company's VAT TIN : 33851349767  
 Company's CST No. : 1015949  
 Company's Service Tax No. : AFJPS1357JSD002  
 Company's PAN : AFJPS1357J


## Declaration

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

TRUE COPY ATTESTED

for New Dawn Water Engineering

SRI MANAKULA VINAYAGAR  
 MEDICAL COLLEGE & HOSPITAL  
 KALITHEERTHAL KUPPAM,  
 MADAGADI PET, PUDUCHERRY-605 107.



This is a Computer Generated Invoice



STP



TRUE COPY ATTESTED

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKURPAM,  
MADAGADIPET, PUDUCHERRY-605 107.



भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-009

Issuance Date: 14/03/2017

Document Number: 14-RLXE-2730

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules [AE(RP)R], 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil-5C	G-XR-12175

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

**The Employer and Licensee are responsible for,**

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

**Dr. Avinash U. Sonawane**  
Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

TRUE COPY ATTESTED

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY



Note: This document is also available at [www.aerb.gov.in](http://www.aerb.gov.in)  
परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650



भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-018

Issuance Date: 06/02/2015

Document Number: 15-LOEE-30939

Expiry Date: 06/02/2020

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 of the Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil-5C	G-XR-27284

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane

TRUE COPY ATTESTED Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL,  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE AND HOSPITAL  
KALITHEERTHALA KUPPAM,  
MADAGADIPET, PONDICHERRY-605 107.

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुसंश्लेषण, मुंबई 400094 (महाराष्ट्र)







Case File Number: PY-20568-RF-XR-003

Issuance Date: 14/03/2017

Document Number: 14-RLXE-2650

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	M/s. Siemens Limited	Multimobil-5E	G-XR-12109

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

*(Signature)*

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

TRUE COPY ATTESTED

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in](http://www.aerb.gov.in)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अनुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation

फैक्स/Fax: 91-22-2599 0650



भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD

अध्यक्ष  
Chairman

Case File Number: PY-20568-RF-XL-007

Issuance Date: 11/06/2018

Document Number: 14-RLXE-2732

Expiry Date: 11/06/2023

### LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Computed Tomography	M/s. Philips Medical Systems	MX 16	G-XL-12133

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM DHANA SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment. MR. MAHALINGAM DHANA SEKARAN is the designated Radiological Safety Officer (RSO).

The Employer and Licensee are responsible for,

I. Ensuring compliance with the relevant provisions of the

- Atomic Energy Act, 1962
- Atomic Energy (Radiation Protection) Rules, 2004;
- AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
- All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
- Directives issued by Competent Authority from time to time.

II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

*S. Sardar*

TRUE COPY ATTESTE (Competent Authority)

MR. MAHALINGAM DHANA SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL,  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET,



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)





भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD

अध्यक्ष  
Chairman

Case File Number: PY-20568-RF-XL-017

Issuance Date: 02/07/2014

Document Number: 14-LOEE-12198

Expiry Date: 02/07/2019

**LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT**

In exercise of powers conferred under Section 16 of the Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Licence in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Interventional Radiology	M/s. Philips India Limited	Allura FC	G-XL-13176

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM DHANA SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

TRUE COPY ATTESTED

(Competent Authority)

MR. MAHALINGAM DHANA SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY





Case File Number: PY-20568-RF-XR-016

Issuance Date: 31/12/2018

Document Number: 14-LOEE-4158

Expiry Date: 06/03/2024

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Mammography	M/s. Allengers Medical Systems Limited	MAM- VENUS	G-XR-12586


The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued **ONLY** from the **RADIATION SAFETY VIEW POINT**. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

  
**Dr. P. K. Dash Sharma**  
Head, RSD

**MR. MAHALINGAM SEKARAN**

**SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL**  
**SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM**  
**MADAGADIPET**  
**PONDICHERRY, PONDICHERRY-605107**

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656




An ISO 9001:2008  
Organisation

फैक्स/Fax: 91-22-2599 0650



TDL badge



TRUE COPY ATTESTED

DEAN  
SRI MATHA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALKUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.





Case File Number: PY-20568-RF-XR-008

Issuance Date: 15/03/2017

Document Number: 14-RLXE-2731

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Siemens Limited	Polydoros-LX R	G-XR-12174

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation  
फैक्स/Fax: 91-22-2599 0650





Case File Number: PY-20568-RF-XR-001

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2647

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERY, PONDICHERY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Allengers Medi Systems	MARS 50 PLUS	G-XR-12107

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM DHANA SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERY, PONDICHERY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650





Case File Number: PY-20568-RF-XR-001

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2647

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERY, PONDICHERY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Allengers Medi Systems	MARS 50 PLUS	G-XR-12107

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM DHANA SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERY, PONDICHERY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation

फैक्स/Fax: 91-22-2599 0650



80-9-2009/32 AM 000

भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-026

Issue Date: 19/09/2016

Document Number: 16-LOP-132343

Expiry Date: 19/09/2021

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Fixed)	M/s Siemens Healthcare Private Limited, India	Heliophos-D (Fixed)	G-XR-55607

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

*(Signature)*

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY





Case File Number: PY-20568-RF-XR-005

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2646

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Siemens Limited	Pleophos-D	G-XR-12111

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
  - Atomic Energy Act, 1962
  - Atomic Energy (Radiation Protection) Rules, 2004;
  - AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - Directives issued by Competent Authority from time to time.
- Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued **ONLY** from the **RADIATION SAFETY VIEW POINT**. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM DHANA SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650







Case File Number: PY-20568-RF-XR-004

Issuance Date: 31/03/2017

Document Number: 14-RLXE-2651

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM DHANA SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Siemens Limited	pleophos-D	G-XR-12110

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM DHANA SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM DHANA SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)





1

भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-023

Issue Date: 07/02/2017

Document Number: 17-LOP-162976

Expiry Date: 07/02/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62561

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY



वेबसाइट/Website: www.aerb.gov.in

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



An ISO 9001:2008  
Organisation

फैक्स/Fax: 91-22-2599 0650

दूरभाष/Tel: 91-22-2599 0656





Case File Number: PY-20568-RF-XR-021

Issue Date: 07/02/2017

Document Number: 17-LOP-162977

Expiry Date: 07/02/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62559

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation  
फैक्स/Fax: 91-22-2599 0650





Case File Number: PY-20568-RF-XR-022

Issue Date: 07/02/2017

Document Number: 17-LOP-162980

Expiry Date: 07/02/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62560

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALA KUPPAM,  
MADAGADIPET, PONDICHERRY-605 107.

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation  
फैक्स/Fax: 91-22-2599 0650





Case File Number: PY-20568-RF-XR-015

Issuance Date: 15/03/2017

Document Number: 14-RLXE-3328

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Siemens Limited	Multimobile 2.5	G-XR-12308

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650



भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-014

Issuance Date: 15/03/2017

Document Number: 14-RLXE-3330

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Siemens Limited	Multimobile 2.5	G-XR-12307

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation

फैक्स/Fax: 91-22-2599 0650





Case File Number: PY-20568-RF-XR-013

Issuance Date: 15/03/2017

Document Number: 14-RLXE-3331

Expiry Date: 31/03/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Mr. MAHALINGAM SEKARAN to operate the following medical diagnostic x-ray equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Siemens Limited	Multimobile 2.5	G-XR-12306

The **CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY** and **MR. MAHALINGAM SEKARAN** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

#### The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

#### Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

Copy to: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALA KUPPAM  
MADAGADIPET, PONDICHERRY-605107



Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अनुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656



An ISO 9001:2008  
Organisation  
फैक्स/Fax: 91-22-2599 0650



(1)

भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case File Number: PY-20568-RF-XR-023

Issue Date: 07/02/2017

Document Number: 17-LOP-162976

Expiry Date: 07/02/2022

### REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of MR. MAHALINGAM SEKARAN to operate the following diagnostic radiology equipment located at SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM MADAGADIPET PONDICHERRY, PONDICHERRY-605107 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Radiography (Mobile)	M/s. Allengers Medical Systems Limited , India	Allengers-100	G-XR-62561

The CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY and MR. MAHALINGAM SEKARAN are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
  - i. Atomic Energy Act, 1962
  - ii. Atomic Energy (Radiation Protection) Rules, 2004;
  - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
  - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
  - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

**Note:**

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

*(Signature)*

Dr. Avinash U. Sonawane  
Head, RSD

MR. MAHALINGAM SEKARAN, CHAIRMAN  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL  
SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, KALITHEERTHALA KUPPAM  
MADAGADIPET  
PONDICHERRY, PONDICHERRY-605107

TRUE COPY ATTESTED

CC: CHAIRMAN, SRI MANAKULA VINAYAGAR MEDICAL COLLEGE AND HOSPITAL, PONDICHERRY

DEAN  
SRI MANAKULA VINAYAGAR  
MEDICAL COLLEGE & HOSPITAL  
KALITHEERTHALA KUPPAM,  
MADAGADIPET, PUDUCHERRY-605 107.



Note: This document is also available at [www.aerb.gov.in/elora](http://www.aerb.gov.in/elora)

परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650